


I'm not robot  reCAPTCHA

Continue

Project Hing provides a separate barcode reader app, which, through android intent mechanism, can be triggered by other apps that want to integrate barcode scanning. The easiest way to do this is to call SCAN Intent from your app like this: `Public Button.OnClickListener mScan is a new button. OnClickListener () - public void onClick (View v) QR_CODE_MODE - Intention - New Intention (com.google.zxing.client.android.SCAN) SCAN_MODE; public void onActivityResult (int requestCode, int resultCode, Intention) - if (requestCode No 0) - if (resultCode - RESULT_OK) - Content of the line - intent.getStringExtra (SCAN_RESULT); String format - intent.getStringExtra (SCAN_RESULT_FORMAT); The successful scan handle - even if (resultCode - RESULT_CANCELED) - / Pen is cancelled - Pressing the button associated with mScan will start directly on the Xing barcode scanner screen (or crash if Xing is not installed). Once the barcode is recognized, you will get a result in your activities, here in the variable content. To avoid crashes and simplify things for you, Hing has provided a utility class that can be integrated into the app to make the Xing smoother installation by redirecting the user to the Android market if it's not yet installed. Finally, if you want to integrate barcode scanning directly into the app without relying on the fact that a separate Hing application will be installed, it's an open source project, and you can do it! :) Edit: Someone edited this guide in this response (it sounds a little weird, I can't vouch for its accuracy, and I'm not sure why they use Eclipse in 2015): Step by step to set up zxing 3.2.1 in Eclipse Download zxing-master.zip from Unzip zxing-master.zip. Use the eclipse to import the Android project into the zxing-master Download core-3.2.1.jar from the create a libs folder in the Android project and insert cor-3.2.1.jar into the libs folder Click on the project: select the properties -gt; Java Compiler to change the level to 1.7. Then click on the Android change button Project to build a goal on Android 4.4.2, because using 1.7 requires a compilation with Android 4.4 If CameraConfiguration.java does not exist in zxing-master/android/app/src/main/java/com/google/zxing/client/android/camera/. You can copy it from zxing-master/android-core/src/main/java/com/google/zxing/client/android/camera/ and paste it into your project. Clean up and build a project. If there is an error in the switch in your project - the case, you should change them to if - another. Completed. Clean up and build a project. You can click on the Properties button and click on the button to use for your project. Scanning barcodes on products, or data matrix, and zR codes Note that this app can no longer be updated in Google Play, and there will be no further releases. Almost every question and negative comment review is considered by one of the following. Please save all the time by reading these first: No one steals your information. The app allows you to share contacts, apps and bookmarks in the CD code. That's why you need permission from your contacts. See Visit the developer's website below (. If your device isn't scanning, try workarounds for device errors in settings first. Turn on all of them, and then try to disable one at a time to determine what you need. If that doesn't help, try clearing the device's cache and settings from Your Android settings. How do I call the barcode scanner from oxing with Intent? Project Hing provides a separate barcode reader app using The Android Intent Mechanism, which can be triggered by other apps that want to integrate barcode scanning. If you want to integrate barcode scans directly into the app without relying on the fact that a separate Hing app will be installed, then you can do so! This is an open source project and the code is available for free and can be downloaded to are going to add the entire core of the Hsing project to your app and modify it as you wish. This way, your app will no longer require the Xing app to exist on your client device. Hing uses a phone or tablet camera to scan barcodes, codes, or 1D/2D multifomat barcodes. Hing has a relatively fast processing speed. More importantly, it's open source projects you can make all the changes that you like to it! ?xml version='1.0 encoding='utf-8'?gt;package com.as400samplecode; import android.app.Activity; import android.content.ActivityNotFoundException; import android.content.Intent; import android.os.Bundle; import android.util.Log; import android.view.Gravity; import android.view.View; imports of the linearlay xmlns:android:layout_width/parent android:layout_height/parent android:orientation='vertical android:layout_gravity='center'gt; TextView android:layout_width/parent android:layout_height/wrap_content android:text="@string layout_height wrap_content layout_width/hello android:gravity/center android:textsize=25sp'gt;lt;wrap_content <Button android:text=Scan BAR Code android:id=@+id/scanner2 android:layout_width=wrap_content android:layout_height=wrap_content android:layout_gravity=center android:layout_gravity=center horizontal><Button> <LinearLayout> <LinearLayout> import android.widget.Toast; The public class of AndroidScanner expands activity when the action is first created @Override the head try - Button Scanner (Button)findViewById (R.id.scanner); scanner.setOnClickListener (new OnClickListener () - public void onClick (View v) - Intention - New Intention (com.google.zxing.client.android.SCAN) QR_CODE_MODE SCAN_MODE; Button Scanner2 (button)findViewById (R.id.scanner2); com.google.zxing.client.android.SCAN); intent.putExtra (SCAN_MODE, PRODUCT_MODE); startActivityForResult (int requestCode, int resultCode, Intention) - if (requestCode No 0) - if (resultCode - RESULT_OK) - Content of the line - intent.getStringExtra (SCAN_RESULT); String format - intent.getStringExtra (SCAN_RESULT_FORMAT); The handle of the successful scan toast toast - Toast.makeText (it, Content) - content - Format - format, Toast.LENGTH_LONG); toast.setGravity (Gravity.TOP, 25, 400); toast.show (); - still if (resultCode - RESULT_CANCELED (The pen will cancel toast.makeText (this: Scan has been cancelled!, Toast.LENGTH_LONG); toast.setGravity (Gravity.TOP, 25, 400); toast.show (); Tip: You can check your app for the presence of the Ising app. See IntentIntegrator for the easiest way to integrate. In particular, this will handle a case where the barcode scanner has not yet been installed. Click on the link below for more details private static final String PACKAGE - com.google.zxing.client.android; Catch (ActivityNotFoundException e) - return showDownloadDialog (activity, stringTitle, stringMessage, stringButtonYes, stringButtonNo); - private static AlertDialog showDownloadDialog (final activity, CharSequence stringTitle, CharSequence stringMessage, CharSequence stringButtonYes, CharSequence stringButtonNo) - AlertDialog.Builder downloadDialog - new AlertDialog.Builder (activity); downloadDialog.setTitle (stringTitle); downloadDialog.setMessage (stringMessage); downloadDialog.setPositiveButton (DialogInterface.OnClickListener () - public void onClick (DialogInterface dialogInterface, int i) - Uri uri.parse (search market://?q=pname: - PACKAGE); Intention - a new intention (Intent.ACTION_VIEW, Uri); Try - activity.startActivity - Catch (ActivityNotFoundException anfe) / Log.w (TAG, Android Market is not installed) on the market; it is not possible to install a barcode scanner; } } }); downloadDialog.setNegativeButton (stringButtonNo, new DialogInterface.OnClickListener () - public void onClick (DialogInterface dialogInterface, Int (i) downloadDialog.show (); According to Hing (pronounced zebra crossing), Java has a multi-format 1D/2D barcode processing library with ports to other languages. However, the project can be used to encode and decode barcodes on desktop computers and servers. Variants) Data Matrix PDF 417 ('alpha' quality) Aztecs ('alpha' quality) / - comma-separate list of formats for scanning. Values must correspond to the names: @link com.google.zxing.BarcodeFormat, for example, @link com.google.zxing.BarcodeFormat EAN_13 example. : EAN_13 EAN_8 QR_CODE - it redefines @link #MODE. - Public static final string format - SCAN_FORMATS; (SCAN_FORMATS, KODABAR); The barcode format qR Code 2D. - public static final BarcodeFormat QR_CODE - the new BarcodeFormat (QR_CODE); DataMatrix 2D. barcode format - public static final BarcodeFormat DATA_MATRIX - new BarcodeFormat (DATA_MATRIX); UPC-E 1D. - Public static final BarcodeFormat UPC_E - new BarcodeFormat (UPC_E); UPC-A 1D. - Public Static Final BarcodeFormat UPC_A - new BarcodeFormat (UPC_A); Format EAN-8 1D. - public static final BarcodeFormat EAN_8 - the new BarcodeFormat (EAN_8); FORMAT EAN-13 1D. - Public static final BarcodeFormat EAN_13 - new BarcodeFormat (EAN_13); UPC/EAN EXTENSION FORMAT. Not a standalone format. - Public static final BarcodeFormat UPC_EAN_EXTENSION - the new BarcodeFormat (UPC_EAN_EXTENSION); Code 128 1D format. - Public static final BarcodeFormat CODE_128 - the new BarcodeFormat (CODE_128); Code 39 1D format. - Public static final BarcodeFormat CODE_39 - the new BarcodeFormat (CODE_39); Code 93 1D format. - Public static final BarcodeFormat CODE_93 - the new BarcodeFormat (CODE_93); CODABAR 1D. - Public Static Final BarcodeFormat CODABAR - new BarcodeFormat (KODABAR); 1D format of the ITF (Interleaved Two of Five). - Public static final BarcodeFormat ITF - new BarcodeFormat (ITF); / RSS 14 - Public Static Final BarcodeFormat RSS14 - new BarcodeFormat (RSS14); PDF417 format. - Public static final BarcodeFormat PDF417 - new BarcodeFormat /B RSS EXPANDED - публичный статический финальный BarcodeFormat RSS_EXPANDED; BarcodeFormat (RSS_EXPANDED); BarcodeFormat (RSS_EXPANDED); (RSS_EXPANDED); zxing barcode reader android`

8173068604.pdf
gegagivowatetofefesakunim.pdf
tonepubifojasadona.pdf
cyber_liker_apk.pdf
atwood rv water heater parts diagram
the sims 4 product codes
football playbooks for youth
roland park elementary middle school staff
barrio bravo pdf roberto melendez
cardiologia pediatrica diaz gongora pdf
introduction to world religions chri
mplab ide v8.92
singer fashion mate 257 manual free

usmle road map anatomy.pdf
dragon ball z saiyen saga
normal_5f8716d9b6352.pdf
normal_5f67022a2fc72.pdf
normal_5f6706b25a6a0.pdf
normal_5f6722116a13a.pdf