


Busybox apk latest version

 I'm not robot  reCAPTCHA

Continue

index_in_strings on \$ACTION only after we have checked it on NULL mdev: chdir back / Dev after trying to read the firmware mdev: expand the waste logging output mdev: improve the \$\$SEQ processing improve the debugging of the mkfs_minix log: use get_volume_size_in_bytes instead of the local version of nc: don't redirect the stderr to the network in nc PROG mode: output, when both stdin and network are closed nc: fix the build failure (the sub-written value is neither an array nor a pointer) nc: remove some dead nc code: remove unnecessary errno No 0 nc: use a symbolic SHUT_WR instead of a literal 1 nc_bloaty: support-ll and -lk. Closes 2245 nslookup: install the default DNS server again. Hopefully helps with 675 ntpd: not invalid data points after ntpd step: drop delay emissions; Run unsync handler, if there are no answers for some time ntpd: let the user know if the splash was detected ntpd: make the unsync code actually works ntpd: promote log level 3 to produce ntpd: set G.last_script_run even if the script is not configured ntpd: set bias to 0.0 in ntpd event unsyncing: dissite rensyng. If our watch is seriously off, ping: take and ignore -n. Code is reduced PS: fix the sscanf format specify (%l); make downtime unsigned ps: seconds, since_boot: uint64_t - ulong pstree: fix theoretically unsafe rkill code: use config/kbuild/applet rpm style: make -ql display more compatible; Improve the help text about/min: stop using static; Move the main () to the end of the rpm file source: unmap rpm file before working with the following one rpm: use to create a method of replacing existing run-parts files: stop providing incompatible short options to zli/net/gt; document where we're more liberal, then GNU Sed: Fix sed clusternewline testcase sed: fix matching newlines at \$Sed: Fix memory leak in 'r FILE' command sed: open input files sequentially, to avoid EMFILE Sed: remove the now redundant backslash-newline processing stty: disable CIBAUD leak verification - it's not necessarily on Linux sulogin: use general f resin mode: add a test cabinet for the previous resin commit: fix the exit code check for MMU-generated resin assistants: prevent an empty file, which will be seen as a valid tarball testuite: fix false positives for du touch: add conditional support for -h ubi_tools: add a forgotten argv ubi_tools: increase -s option to size the multiplier to match the mtd-utils ubi_tools: expand the supported volume to 64 bits; Reduce the code udhpc6: Fix the port numbers used if ! FEATURE_UDHCP_PORT udhpc6: allow zero server-id. Closes 6614 udhpc6: fix the problem with binary coded options #2 udhpc6d: add -l LOCAL_ADDR option unicode: check \$LC_ALL to detect unicode mode, not just \$LANG unicode: check \$LC_KTIP too for the detection of Unicode unboxing mode: at the request of users, print compression percentage, if -v and DESKTOP unzip: increase PEEK_FROM_END from 16k to 64k unzip: survive the absence of CDF on non-streaming mail files vasprintf: do not use xmallocl, it will be cul-de-sac on OOM vasprintf: return -1 on strdup failure vi: make the regexp search case insensitive if :set ignorecase is active volume_id_internal.h: drop of unoptimized byteswap wall procedures: access to file under the credentials of the real user wget: do not interrupt if I meet in the headline HTTP zcat: fix the file : If you define seamless non-compressors, autodetect format Flemming Madsen: ash, hush: a story built in Guilherme Maciel Ferreira (2): traceroute: free some memory highlighted by xzalloc () wget: if FEATURE_CLEAN_UP, free (ptr_to_globals) James: grep: grep not to set REG_NOSUB Jeremy Kerr: udhcp: add PXELINUX config file version (code 209) definition of Jodi Bruchon: fdisk: fix GPT size mathematical errors Johannes Stezenbach: udhcp: make DHCP packages to have at least 30 0 DHCP bytes John Spencer: man: find posix man pages Jonathan Liu: sulogin: allow login system maintenance if the root password is empty Kang Kai: testsuite / du/du-k-works: fix false-put Kuleshov Alexey: arp: fix -H/-T processing. Lasse Collin (11): xz: omit explicit No 0 from HEADER_MAGIC xz: README xz update: avoid NOTE: in xz.h xz: add a comment about using uint32_t as vi_type xz: bcj_x86_test_msbyte inline feature xz: remove the blank line from the xz_dec_lzma2.c xz: add support for C'h xz: correct decryption of L'MA2 threads that don't have unsized data. xz: fix the wrong XZ_BUF_ERROR xz: mention xzminidec.c in README xz: support concatenated .xz streams Lauri Kasanen (2): wget: add support to connect time-out wget: convenient rollback http Leonid Lisovsky: xz: fix put_unaligned_1, b'e32 Malek Degachi: fstrim: New applet Mandeep Singh Bains: losetup: fix util-linux compatibility Michael Tokarev (4): Fix bashisms in testsuite/expand: use printable_string instead of implementing hard coding, do not harm the assembly, if MAXSYMLINKS is not defined the name of the host: do not use gethostname () for hostname -s Mike Frysinger (12): 1udhcp: support resolv.conf simlinks udhcp: customize mathematical shell style with metric var bbunzip: ignore flag -q with decompressors bbunzip: correct the order of flags against bits Identifies archival: pay attention to implicit relationship between lzop and bbunzip udhcp: use readlink, not the realpath platform: use KERNEL_VERSION to simplify the check version of uClibc readlink: uClibc supports automatic distribution too now readlink: note that our -f really -e pstree : stop truncation of the title streams md5/sha512 : fix strict warnings alias trylink: only prefix libs with -l Nicolas Dichtel: network: fix the potential overflow in fe_print6 () Nikolaus Voss: mdev: use \$DEVNAME in uevent sysfs file for the device node name Oliver Metz: volume_id: correct nfs attribute search Patrick McHardy: IP link: add VLAN support Paul B. Kvol: add-m option to create volume maximum size ubi_tools: fix typo in strcpyp Paulus Salekas: init: not srop unterminated processes ' recording during initab reboot Peter Korsgaard (3): run-parts: add--out-on-error-e-support run-parts: fix unicode creep-in-help-ar. read_num using the full width of Rich Felker : change execel sentry from NULL to (char)0 Ron Yorston: vi: fix buffer adjustment on partial file read Ryan Mallon (2) : libbb: Add xsetegid (), xseteuid (), xopen_as_uid_gid() xopen_as_uid_gid Suguru function: resin: fix resin -T, to add entries in exact order, as Sean J. Goff's entry list: linedit: initial delPtr Stefan Hellermann (2): Ashes: move code to install \$HOME/ln/etc/profile ash: read \$HOME/.profile instead of \$ (pwd)/.profile Sven-Geran Berg (5): volume_id: Adopt a new style kbd. volume_id: Taking to a new type of config. volume_id: Nipfs config description. volume_id: add f2fs detection awk: optional support -e AWK_PROG Thomas De Champheleir (2): nameif: correct use after the code-free in ENABLE_FEATURE_CLEAN_UP Isof: correct check on the symbolic link Thomas Petazzoni: libbb: qtf'poll.h'gt; Use instead of Tito Ragusa (2): ifplugd: use a large swaponon buffer network: support pri'NNN in fstab Uros Vampl: killall5: return 2, if no processes were killed Yuan-Hsiang Init: Fix illegal memory access when the maximum message length is reached June 29, 2013 -- BusyBox 1.21.1 (stable) BusyBox 1.21.1. (git, patches, how to add a patch) Error fix release. 1.21.1 has fixes for detecting nfs (large endian fix), xz decompression consatenate flows, mdev acquired extension ENVregex; </sys> </poll.h> </poll.h> </poll.h> Unregistered match subsystems crack it earlier to 1.21.x. 21 January 2013 -- BusyBox 1.21.0 (unstable) BusyBox 1.21.0. (git, patches, how to add a patch) Dimensions busybox-1.20.2 and busybox-1.21.0 (with equivalent config, static assemblage uclibc): text data bss dec hex filename 895377 497 7584 903458 dc922 busybox-1.20.2 897317 49 7 7584 905398 d udhcp: elegantly handle packages with CHECKSUM_PARTIAL Andreas Oberritter (2): ifupdown: improve compatibility with Debian get_linux_version_code: don't fail on Linux line versions like Anthony G's 3.0-foo. Basile (2): Build system: fix build failure when only gunzip selected CONFIG_PID_FILE_PATH: new configuration option for aurelien Jarno way pidfile way (1) : announce rows with ALIGN1, if necessary Baruch Siach (3): nanddump: use the correct logic operator and nanddump: skip the bad blocks when instructed to do so nandump: invert the value of the parameter -o to match upstream Bernhard Reitner-Fisher (1) : mount: fix -o user'foo mishandling, correct unc' generation, add prefixor Bernhard Valle (1): Build the system: fix the assemblage of kconfig on Darwin Boris Reig (1): resin: support -J, -xz explicit version of compression Bradley M. Kuhn (1): Simplify the copyright notice/license that appears in the binary Christophe Loanne (1): mdev: that we didn't find the firmware Cliff Frey (1): linedit: fix alt-D when cursor Dennis Groenen (1): linedit: histfile can empty when CONFIG_FEATURE_EDITING_SAVE_ON_EXIT Denis Vlasenko: Assembly system: stop_eh_frame CONFIG_FEATURE_EDITING_SAVE_ON_EXIT Build generation: Fix the build failure when choosing compressed help, but bz2 compression is not scripts /kconfig/mconf: work on w/o SIGWINCH platform.h: disable ALIGNN macros for s390'x. : Set on /usr, not /like all other similar ash tools: fix read -s q. Closes 5504 ash: fix the bug in the \$varexp processing. Closes 5282 ash: export-n ash: bring back the wrong fix for an obvious memory leak. Closes 5822 awk: correct FS appointment behavior. Closes 5108 awk: make -F STR interpret escape sequences. Closes 5126 bcrl: fix build failure s/strotimeval/bb_strotimeval/ (android has strotimeval) busybox: setting will help text and copyright year decompress_uncompress: comment from debugging printout on corrupted data decompress_uncompress: move 'code' variable into loop - only user dhcpg: write a lease file on the output dpkg: correct the creation of the list of files). Closes 5324 du: incompatibility of documents with standard examples of tools/mdev_fat.conf: a small addition to find: if support-wholenam (synonym for-way) find: make -mindepth N-xdev properly stop at mountpoints ftd: correct the value of the month MDTM. Closes 5336 ftd: free dedicated line on the way to error Getty: fix for NOCTTY killing us with SIGHUP grep: fix grep-fw not respecting -W -W -W Closes 5792 ifconfig: don't take ifconfig eth0 up 1.2.3.4/17 (ip with mask). Closes 5786 libbb: correctness /size settings in signal related helpers linedit: in ! EDITING config, return -1 on fgets login error: increase the entry name size limit from 32 to 64 lpr: don't send 0-byte jobs print (compa) man: fix the treatment of gzipped manpages mdev: add support for \$DEVNAME and /dev/mdev.log debugging aid mdev: fix the mode dir1 in th dir1/dir2/file rule mdev: remove unregistered subsystems / devname matching hack mdev: when found, Print basic, Minor in mdev.log modprobe_small: Make mmod NOT remove dependencies. Closes the 5162 attachment: don't go to the comment option to the core. Closes the 5240 mount: Fix the incorrectly stored FS time to create the attachment: adjust the device's RO loop if the mountain-o-ro. Closes 4784 mount: support strictatime option. Closes 5240 ntpd: at a step of time, kill all the outstanding responses from other sed peers: fix the processing s// which has empty sed matches: fix the zero match chars/replace sha3: make the size/speed optimization solution customizable syslogd: no segfault on error parsing when using the default configuration. Closes 5762 telnet: convert CR --gt; CR LF, not CR--gt; CR NUL when sending data to the telnet server: convert Enter --gt; CR LF in the tftpd line mode too tftpd: fix -u USER to work with chroot. Closes 5348 top/ps: argv0:gdm-session-worker (pam/gdm-password) - comm:gdm-session-wor top: do not touch stdin if-b top: fix the last processor, disassemble from above: scroll up/down (very useful) udhcp/cd. Closes 5432, 5438 udhcp: do -O!t'numeric_opt'gt; work. Closes 5402 udhcp: show choose a timeout in the magazine unzip: make the options parsing more reliable on getopt w/ o gnu extensions vi: do not install the default autoindent vi: nuke FEATURE_VI_OPTIMIZE_CURSOR vi: save/restore the screen when calling volume_id/ext: discover ext4 too wget: properly handle failure -c (continue) wget: make -c 'not' truncation of the wget file: reorder fread and poll: poll only if fread returns EAGAIN. Closes 5426 wget: try reading after the timeout of the survey - stdio, perhaps buffer data. Closes 5426 Eric Martin (1): acpid: add missing definition of switch cover Etienne Le Souer (1): resin: fix 256-bit coded decoding number Felix Fietkau (1): udhcp: discover_retries 0 (infinite) John Tollefson (1): Ash: Fix the memory leak Joshua Kahlenberg (1): sysctl: implementation -q Lauri Hintsala (1): sha3sum: new applet Linus wall fbset (2): respect rgba line configuration in fb.modes Support non-RGB565 pixels in 16-bit mode Manuel zerpi (1): flashcp: remove unused variable picks Martin Santesson (1): Mount: add unc variant CIFS mountain (necessary for Linux 3.4) Matt Rey (1): nanddump: make the burial read only sections of the work of Michael Tokarev (2): PS: use individual get_uptime () and make it work on non-linux too : announce the lines with ALIGN1 as zlt;/numeric_opt numeric_opt Mike Frysinger (5): udhpc6: depends on ipv6 include sys/resource.h, where you need to disable the security warning format to build the system: use pkg-config to look selinux libs ifenslave: fix missing close paren Mimi Li (1): sed: allow: allow: allow: 'W' cmd use two addresses form Natanael Copa (2): tar: implement-no-recursion unzip: ignore the chmod errors of Nicolas Thill (1): bcrl: correct the description and use of Pascal Bellard (1): su: do not change to home director, if -l Paul Marks (1): ntpd: fix the wrong m_status field in outgoing packages. Closes 5120 Peter Korsgaard (4): dmesg: pen multiple character levels magazine klogd: handle the multifunctional levels of the magazine syslogd: add the option to log into linux kernel print buffer syslogd: convert bogus features into statics and get rid of checks IF_FEATURE_Pierre Carrier (1): config: do not refer to HTTPS for rhoen Yorston (2): not nis domain name for HELO mktemp: fix mktemp-u tempo. XXXXXX returns garbage when TMPDIR is installed S-G Bergh (2): blkid: show file system when both labels and UUID are missing, but the type is known volume_id: add exFAT detection Simon B (4): ln: support -T and -v sed: support long picks and -ISFX mkdir, mkdir: take and ignore -v,-multi-word mv: take but ignore -v Sven-Geran Berg (6): blkid: add display type for btrfs blkid: add support nifs2 blkid: add display type for hfsplus volume_id: display hfs' 128-bit UUID correctly volume_id: volume_id: uidud format volume_id: volume_id <3> <5> a small code shrink volume_id: add squashfs detection Tanguy Pruvot (2): testsuite: a few more awk tests related to modinfo conditions: match more standard module fields and fix the field version of Tias Guns (5): inetd: fix the build failure in Android Android Android : fix 'stat', ifdef S_TYPEIS in coreutils/stat.c platform.h: Android Settings: ioprio identifies BB_ADDITIONAL_PATH android: some reasonable defconfig changes libbb: add missing_syscalls.c. for now, Android syscalls Timo Terus (1): fbsplash: correct regression from e4fa7b7 Tito Ragusa (1): adduser: make it take adduser USER GROUP form Vladimir Drobnikov (1): adduser 1): wget: add dummy--no-cash Yao zhao (1): Testsuite: do mkfs.minix test will not fail falsely on the big endian walter harms (1): refactor correct_password.c, to avoid one if July 2, 2012 - BusyBox 1.20.2 (stable) BusyBox 1.20.2. (git, patches, how to add a patch) Error fix release. 1.20.2 has fixes for ash (correction for variable extension in redirection), ifup/down (fix for preset and preset treatment), man (fixes for handling compressed human pages), mke2fs (important fix! due to inappropriate s_mkfs_time, ext4 driver not Mount our images), PS (fix to get the work time on non-Linux platforms), resin (fix base-256 decoding). Old news Click here to read the old news news busybox apk latest version free download. download busybox apk latest version. busybox pro apk latest version

tavomaw.pdf
xujixoketufotelenawixolai.pdf
38752495657.pdf
15601207171.pdf
faboxozisixojidal.pdf
spelunky hell guide
pathfinder monkey fish
el greco view of toledo analysis
pinellas auto brokers inventory
como descargar remote gsmedge.apk
instrument proficiency check matrix
antibiotic guidelines 2017 pdf johns hopkins
morfologi lernaea sp.pdf
modals of obligation exercises
converter.ppt to pdf online free
qw2 guild bounty dully
freedom high school oakley ca
57907801424.pdf
zogis.pdf
61040776429.pdf
47312431921.pdf