Clinical nuclear cardiology pdf

I'm not robot

reCAPTCHA

Continue

1.Iskandrian AE, Garcia EV, editors. Nuclear cardiac imaging. 5th o.p. New York, NY: Oxford University Press; 2016. Google Scholar 2.Dorbala S, Ananthasubramaniam K, Armstrong IS, etc. One photon emission tomography (SPECT) myocardial imaging guidelines: instrumentation, acquisition, processing and interpretation. J Nucl Cardiol. 2018;25:1784-846.PubMed Google Scholar 3.Dilsizian V, Bacharach SL, Beanlands RS, etc. J Nucl Cardiol. 2016;23:1187-226.PubMed Google Scholar 4.Garcia EV, Van Train K, Maddahi J et al. quantitative evaluation of rotational thallium-201 myocard tomography. J Nucl Med. 1985;26:17-26.CAS PubMed Google Scholar 5.Van Train KF, Areeda J, Garcia EV et al. quantitative same-day rest stress technetium-99m-sestamibi SPECT: determining and checking stress normal limits and criteria for anomaly. J Nucl Med. 1993;34:1494-502.PubMed Google Scholar 6.Nakajima K, Matsumoto N, Kasai T, Matsuo S, Kiso K, Okuda K. Normal Values and Standardization Of Parameters in Nuclear Cardiology: Japanese Society of Nuclear Medicine Working Group Database. Ann Nucl Med. 2016;30:188-99.PubMed PubMed Central Google Scholar 7.Gambhir SS, Berman DS, Sieffer J, et al. New High Sensitivity Rapid Acquisition of Single-Cell Heart Imaging. J Nucl Med. 2009;50:635-43.PubMed Google Scholar 8.Esteves FP, Raggi P, Folks RD, et al. New solid-detector dedicated to the heart chamber for rapid visualization of myocardial perfusion: multicenter comparison with standard dual detector cameras. J Nucl Cardiol. 2009;16:927-34.PubMed PubMed Central Google Scholar 9.Bai C, Conwell R, Kindem J, etc. Phantom Assessment of the SPECT/VCT heart system, which uses a common set of solid state detectors both for scanning emissions and for scanning transmission. J Nucl Cardiol. 2010;17:459-69.PubMed PubMed Central Google Scholar 10.Bocher M, Blevis IM, zuckerman L, Shrem Y, Kowalski G, Volokh L. Fast heart gamma camera with SPECT dynamic capabilities: design, system testing and future potential. Eur J Nucl Med Mol Imaging. 2010;37:1887-902.PubMed PubMed Central Google Scholar 11.Imbert L, Poussier S, Franken PR, et al. Compared performance of high-sensitivity cameras dedicated to SPECT miocard perfusion: comprehensive analysis of phantom and human images. J Nucl Med. 2012;53:1897-903.PubMed Google Scholar 12.Duvall WL, Croft LB, Godiwala T, Ginsberg E, George T, Henzlova MJ. Reducing the dose of isotopes with rapid SPECT MPI imaging: initial experience with the SPECT camera. J Nucl Cardiol. 2010;17:1009-14.PubMed Google Scholar 13.Lecchi M, Martinelli I, Sokkarato O, Maioli C, Lucignani G, Del A. Comparative analysis full-time, half time, and a quarter of the time ECG-gated SPECT is quantitatively normal and overweight patients. J Nucl Cardiol. 2017;24:876-87.CAS PubMed Google Scholar 14.Lyon MC, Foster C, Ding X, etc. Reduced dose during the break of SPECT-CT myocardium perfusion with multifocal collimation. J Nucl Cardiol. 2016;23:657-67.PubMed Google Scholar 15.Nakazato R, Berman DS, Hayes SW, et al. Miocard perfusion images with a solid camera: modeling a very low dose of the image protocol. J Nucl Med. 2013;54:373-9.CAS PubMed PubMed Central Google Scholar 16.Sharir T, Pinskiy M, Pardes A, etc. Comparison of the diagnostic accuracy of a very low dose of stress with a standard dose of myocardial perfusion image: automated quantitative score of one day, stress-first SPECT with C'T camera. J Nucl Cardiol. 2016;23:11-20.PubMed Google Scholar 17.Wetzl M, Sanders JC, Kuwert T, Ritt P. Photon reduction effect and the selection of normal data on semi-automatic image evaluation in the cardiac SPECT. J Nucl Cardiol. April 13, 201818.Cerqueira MD, Weisman New Jersey, Dilsizian V, et al. Standardized Myocardial Segmentation and Nomenclature for Heart Imaging: A Statement to Medical Professionals from the Committee of Cardiac Imaging of the Council for Clinical Cardiology of the American Heart Association. Circulation. 2002;105:539-42.PubMed Google Scholar 19.Berman DS, Hachamovitch R, Kiat H, etc. Incremental value of predictive testing in patients with known or suspected coronary heart disease: the basis for optimal use of exercise technetium-99m sestamibi myoialcard perfusion single-cottic computed tomography. J Am Coll Cardiol. 1995;26:639-47.CAS PubMed Google Scholar 20.Slomka PJ, Nishina H, Berman DS, et al. Automated quantitative evaluation of SPECT myocardial perfusion using simplified normal limitations. J Nucl Cardiol. 2005;12:66-77.PubMed Google Scholar 21.Klein JL, Garcia EV, DePuey EG, etc. Turning Apple: a new map of the polar bullseye to quantify the reversibility of stress induced by SPECT Tl-201 defects of myocardial perfusion. J Nucl Med. 1990;31:1240-6.CAS PubMed Google Scholar 22.Garcia EV, DePuey EG, Sonnemaker RE, etc. Quantitative evaluation of the reversibility of stress-induced thallium SPECT-201 myocard perfusion defects: a multicenter test using polar apple cards and standard normal limits. J Nucl Med. 1990;31:1761-5.CAS PubMed Google Scholar 23.Jain D, He, Lele V, Aronov WS. Direct imaging of myocardial ischemia: a new paradigm of cardiovascular nuclear imaging. Wedge Cardiol. 2015;38:124-30.PubMed Google Scholar 24.Berman DS, Kang X, Van Train KF, etc. Comparative predictive value of automatic quantitative analysis compared to semi-quantitative visual analysis of perfusion single-point emission computed tomography. J Колл Кардиол. 1998;32:1987-95.CAS PubMed Google Google 25.Hachamovich R., Rozansky A., Shaw D.D., etc. Effect of ischemia and scarring on the therapeutic benefit derived from myocardial revascularization against medical therapy among patients undergoing stress-rest of myocardial perfusion of scintifography. Eur Heart J. 2011;32:1012-1024PubMed Google Scholar 26.Hachamovitch R, Hayes SW, Friedman JD, Cohen I, Berman D. Comparison of short-term survival associated with revascularization compared to medical therapy in patients without prior coronary heart disease who suffered stress myocardia perfusion of one photo-course computed tomography. Circulation. 2003;107:2900–7. Google Scholar 27.Tamaki S, Nakajima H, Murakami T, et al. Assessment of the size of myocardial emission computed tomography with thallium-201 and its relationship to creatinkinase-MB release after myocardial infarction in humans. 1982;66:994-1001.CAS PubMed Google Scholar 28.Gibbons RJ, Verani MS, Behrenbeck T et al. The possibility of tomographic imaging 99mTc-hexalis-2-methoxy2-methylpropyl-isonitrile to assess the area of myocardial in the risk zone and the effects of treatment in the acute infarum of the infarction of the head. Circulation. 1989;80:1277-86.CAS PubMed Google Scholar 29.Christian TF. The use of perfusion imaging in acute myocardial infarction: application for clinical trials and clinical care. J Nucl Cardiol. 1995;2:423-36.CAS PubMed Google Scholar 30.Slomka PJ, Fieno D, Thomson L, etc. Automatic detection and quantification of infarctions using SPECT myocardial perfusion: clinical testing by delaying MRI enhancement. J Nucl Med. 2005;46:728-35.PubMed Google Scholar 31.Dilsizian V, Arrighi JA, Diodati JG, etc. Myocardial Viability in patients with chronic coronary heart disease: comparison of 99mTc-sestamibi with 18F-flulide and 18F-fluorooxyxicugosis. Circulation. 1994;89:578-87.CAS PubMed Google Scholar 32.Tillisch J, Brunken R, Marshall R, etc. Reversal of heart wall motion disorders predicted by positron tomography. N Engl J Med. 1986;314:884-8.CAS PubMed Google Scholar 33.Schelbert HR, Beanlands R, Bengel F et al PET miocard perfusion and glucose metabolism images: part of the 2-guidelines for interpretation and reporting. J Nucl Cardiol. 2003;10:557-71.PubMed Google Scholar 34.Santana CA, Faber TL, Soler-Peter M, et al. Predictive performance of quantitative PET tools for stratification of patients with coronary cardiomyopathy is assessed by myocardial viability. Nutle Honey Commune. 2008;29:970-81.PubMed Google Scholar 35.Allman KC. Non-invasive assessment of myocardial viability: current state and future directions. J Nucl Cardiol. 2013;20:618-37.PubMed Google Scholar 36.Ficaro EP, Lee BC, Kritzman JN, Corbett JR. Corridor4DM: Michigan method of quantitative nuclear cardiology. J Nucl Cardiol. Google Scholar 37.Garcia EV, Faber TL, Cook CD, People RD, Chen J, Santana C. The growing role of quantitative evaluation in clinical nuclear cardiology: Emory's approach. J Nucl Cardiol. 2007;14:420-32.PubMed Google Scholar 38.Germano G, Kavanagh PB, Slomka PJ, Van Kriekinge SD, Pollard G, Berman DS. Quantitative score in closed perfusion SPECT image: Cedars-Sinai approach. J Nucl Cardiol. 2007;14:433-54.PubMed Google Scholar 39.Slomka PJ, Germano G, Berman DS. Gated SPECT MPI processing and quantification. In: Iskandrian A.E., Garcia E.V., editors. Nuclear cardiac imaging. 5th o.p. New York, NY: Oxford University Press; 2016. 109-36. Google Scholar 40.Stegger L, Lipke CSA, Kies P, etc. quantitative estimate of left ventricle volumes and ejection fraction from closed 99mTc-MIBI SPECT: checking the elastic approach of the surface model compared to cardio-magnetic resonance imaging, 4D-MSPECT and HSC. Eur J Nucl Med Mol Imaging. 2007;34:900-9.PubMed Google Scholar 41.Soneson H, Hedeer F, Arevalo C, etc. Development and verification of a new automatic algorithm to quantify left ventricle volumes and function in SPECT's closed miaphic permusia using cardiac magnetic resonance as a reference standard. J Nucl Cardiol. 2011;18:874-85.PubMed Google Scholar 42.Schaefer WM, Lipke CSA, Standke D, etc. quantitative estimate of left ventricle and ejection fraction from closed 99mTc-MIBI SPECT: MRI check and comparison of Emory heart tool box with GS and 4D-MSPECT. J Nucl Med. 2005;46:1256-63.PubMed Google Scholar 43.Schaefer WM, Lipke CS, Novak B, etc. Check of the NHS and 4D-MSPECT to quantify the volumes of the left ventricle and the ejection fraction of the closed PET 18F-FDG: comparison with heart MRI. J Nucl Med. 2004;45:74-9.PubMed Google Scholar 44.Cooke CD, Garcia EV, Callom SJ, Faber TL, Pettigrew RI. Determining the accuracy of the calculation of systolic thickening of walls by quickly approximating the transformation of Fourier: a simulation study based on data of dogs and patients. J Nucl Med. 1994;35:1185-92.CAS PubMed Google Scholar 45.Sharir T, Kang X, Germano G, etc. Predictive values of left ventricle volume and ejection of the SPECT closed miacardation fraction in women and men: gender differences within normal limits and outcomes. J Nucl Cardiol. 2006;13:495-506.PubMed Google Scholar 46.Akincioglu C, Berman DS, Nishina H, et al. Score diastolic function using 16-frame 99mTc-sestamibi closed perfusion myocardial SPECT: normal values. J Nucl Med. 2005;46:1102-8.PubMed Google Scholar 47.Nakajima K, Taki J, Cavanaugh M, et al. Diastolic dysfunction in patients with systemic sclerosis detected by closed spect myocardial perfusion: an early sign of cardiac involvement. J Nucl Med. 2001;42:183-8.CAS PubMed Google Scholar 48.Kuroiwa Y, Nagamachi S, Miyati T, etc. Reconciling the parameters of the left ventricle function between 99mTc-tetrofosmin closed myocardial SPECT and closed MYOcardial MRI. Ann Nucl Med. 2012;26:147-63.PubMed Google Scholar 49.Yamamoto A, Takahashi N, Abe K, Kobayashi Y, Tamai J, Munakata K. Regional left-ventricular diastolic movement wall is evaluated by a new program for ECG-closed miokard perfusion SPECT in early stage heart failure. J Nucl Cardiol. 2008;15:375-82.PubMed Google Scholar 50.Gimelli A, Liga R, Magro S, etc. Assessment of the mass of the left ventricle on cadmium-zinc-telluride imaging: a test against cardiac magnetic resonance. J Nucl Cardiol. 2019;26:899-905.PubMed Google Scholar 51.Abidov A, Slomka PJ, Nishina H et al. Left ventricular shape index, estimated by SPECT's closed myocardium perfusion: the original description of the new variable. J Nucl Cardiol. 2006;13:652-9.PubMed Google Scholar 52.Mazzanti M, Germano G, Kiat H, etc. Identifying severe and extensive coronary heart disease by automatically measuring the transient ischemic dilettation of the left ventricle in SPECT miocardial doubleisotop perfusion. J Am Coll Cardiol. 1996;27:1612-20.CAS PubMed Google Scholar 53.Faber TL, Cooke CD, Folks RD, etc. Left ventricle function and perfusion from closed SPECT perfusion images: integrated method. J Nucl Med. 1999;40:650-9.CAS PubMed Google Scholar 54.Okwuosa TM, Hampole CV, Ali J, Williams KA. Left ventricular mass from the closed SPECT myocardial perfusion image: comparison with cardiac COMputed tomography. J Nucl Cardiol. 2009;16:775-83.PubMed Google Scholar 55.Xu Y, Arsanjani R, Clond M, etc. Transitional ischemic expansion of coronary heart disease in quantitative analysis of SPECT myocardial heart disease. J Nucl Cardiol. 2012;19:465-73.PubMed PubMed Central Google Scholar 56.Abidov A, Bax JJ, Hayes SW, etc. The transitional ratio of ischemic diction of the left ventricle is a significant predictor of future cardiac events in patients with otherwise normal SPECT myocardial perfusion. J Am Coll Cardiol. 2003;42:1818-25.PubMed Google Scholar 57.Abidov A, Germano G, Berman DS. Transitional ratio of ischemic diction: a universal diagnostic marker of high risk in the visualization of perfusion myocardial. J Nucl Cardiol. 2007;14:497-500.PubMed Google Scholar 58.Slomka PJ, Betancourt J, Liang JX, et al. Reason and design of REgistry Fast Myocardus Perfusion Imaging with NExt Generation SPECT (REFINE SPECT). J Nucl Cardiol. June 19 201859.Hu LH, Sharir T, Miller RJH, et al. Upper limits of the transition factor of ischemic expansion for various protocols on the cameras of the next generation cadmium cadmium: a report from the registry REFINE SPECT. J Nucl Cardiol. May 13, 201960.Shi H, Santana CA, RiverO A, et al. Normal values and prospective check of the index of transient ischemic diluent in PET-myocard Rb-82 Images. Nutle Honey Commune. 2007;28:859-63.PubMed Google Scholar 61.Esteves FP, Santana CA, Raggi P, Garcia EV. Miocardia perfusion SPECT / CT: Added value to CT images. In: Iskandrian A.E., Garcia E.V., editors. Atlas of Nuclear Cardiology: Companion to Brownwald's Heart Disease. Philadelphia, Pennsylvania: Saunders; 2012. page 390-416. Google Scholar 62.Sarwar A, Shaw LJ, Shapiro MD et al. Diagnostic and predictive value of the lack of coronary artery calcification. JACC Cardiovasc Images. 2009;2:675-88.PubMed Google Scholar 63.Galt JR, Garcia EV, Robbins W. Effects of the thickness of the myocardial walls on SPECT quantification. IEEE Trans Honey Images. 1990;9:144-50.CAS PubMed Google Scholar 64.Slomka PJ, Berman DS, Sy Y, et al. Fully automated wall movement and thickening of the scoring system for SPECT miocard perfusion: the development of the method and testing in a large population. J Nucl Cardiol. 2012;19:291–302. PubMedPubMed PubMed Central Google Scholar 65.Arsanjani R, Syu Y, Hayes SW, et al. Comparison of fully automated computer analysis and visual scoring to detect coronary heart disease from SPECT myocardial perfusion in a large population. J Nucl Med. 2013;54:221-8.PubMed PubMed Central Google Scholar 66.Nakazato R, Berman DS, Gransar H, etc. Predicted the quantitative high-speed imaging of myocardial perfusion. J Nucl Cardiol. 2012;19:1113-23.PubMed PubMed Central Google Scholar 67.Santana CA, People RD, Garcia EV, et al. quantitative Rb-82 PET/CT development and database validation of myocardium perfusion. J Nucl Med. 2007;48:1122-8.PubMed Google Scholar 68.Slomka PJ, Dey D, Sitek A, Motwani M, Berman DS, Germano G. Heart Visualization: work towards fully automated machine analysis and interpretation. Expert Rev Med Devices. 2017;14:197-212.CAS PubMed PubMed Central Google Scholar 69.Xu Y, Fish M, Gerlach J, etc. Combined quantitative analysis of adjustment and incorrect perfusion of SPECT myocardium: method development and clinical testing. J Nucl Cardiol. 2010;17:591-9.PubMed PubMed Central Google Scholar 70.Germano G, Kavanagh PB, Ruddy TD, et al. Same patient treatment for several SPECT cardiac studies. 2. Improving quantitative repeatability. J Nucl Cardiol. 2016;23:1442-1453PubMed Central Google Scholar 71.Xu Y, Kavanagh P, Fish M, etc. Automated quality control of SPECT miacard perfusion segmentation. J Nucl Med. 2009;50:1418-26.PubMed PubMed Central Google Scholar 72.Motwani M, Leslie WD, Goertzen AL, et al. Fully automated analysis of spectuation-corrected SPECT for long-term prediction of acute myocardial infarction. J Nucl Cardiol. 2018;25:1353-60.PubMed Google Scholar 73.Ficaro EP, Fessler JA, Shreve PD, Kritzman JN, Rose PA, Corbett JR. Simultaneous transmission/emission of myocardial perfusion tomography: The accuracy of the fading is corrected by 99mTc-sestamibi single-cot emission computed tomography. Circulation. 1996;93:463-73.CAS PubMed Google Scholar 74.Garcia EV. Quantitative nuclear cardiology: we're almost there! J Nucl Cardiol. 2012;19:424-37.PubMed Google Scholar 75.Slomka PJ, Fish MB, Lorenzo S, etc. Simplified normal limits and automated quantitative score for SPECT perfusion myocardial correction. J Nucl Cardiol. 2006;13:642-51.PubMed Google Scholar 76.Grossman GB, Garcia EV, BatemanTM et al. quantitative Tc-99m sestamibi attenuation corrected SPECT: the development and multicenter trial testing of the myocardium perfusion stress of the gender-independent normal database in the obese population. J Nucl Cardiol. 2004;11:263-72.PubMed Google Scholar 77.Hayes SW, De Lorenzo A, Hachamovitch R et al. Predictive effects of combined prone and soup acquisition from patients with ambiguous or abnormal myocardial perfusion SPECT. J Nucl Med. 2003;44:1633-40.PubMed Google Scholar 78.Nishina H, Slomka PJ, Abidov A. et al. Combined elastic and prone quantitative perfusions of myocardial SPECT: the development of method and clinical testing in patients without known coronary heart disease. J Nucl Med. 2006;47:51-8.PubMed Google Scholar 79.Slomka PJ, Nishina H, Abids A. et al. Combined quantitative supin-prone perfusion myocardial SPECT improves the detection of coronary heart disease and normal rates in women. J Nucl Cardiol. 2007;14:44-52.PubMed Google Scholar 80.Nakazato R, Tamarappoo BK, Kang X, etc. J Nucl Med. 2010;51:1724-31.PubMed PubMed Central Google Scholar 81.Leslie WD, Tully SA, Yogendran MS, Ward LM, Nour KA, Metge CJ. Predictive value of automated quantitative estimation of Tc-99m-sestamibi miocard perfusion image. J Nucl Med. 2005;46:204-11.PubMed Google Scholar Page 2 Citation counts are provided from the Web of Science and CrossRef. The amount of data can vary depending on the service and depends on the availability of data. The graphs will be updated daily as soon as they are available. Available. the present role of nuclear cardiology in clinical practice. nuclear cardiology in clinical practice

19429440259.pdf
16750297572.pdf
88913408970.pdf
comparing integers worksheet with answers
oecd 2020 report pdf
contract killer 2 apk pure
revistas para niños pdf
mappa lago di como pdf
transition patrol 2020 size guide
developing therapeutic guidelines pdf
vocabulary worksheet factory 6
symantec endpoint protection download updates manually
states of matter worksheet pdf 3rd grade
tutorial arduino uno pdf
custom notification sound android s4
louise hay pdf gratis
mplab ide v8.92
exploring social psychology 6th edit
bruchrechnen gemischte aufgaben pdf
77804521702.pdf
speedpaint_fnaf_descargar.pdf
32284952036.pdf
2997543194.pdf