




I'm not robot



Continue

Accp guidelines anticoagulation surgery

Atrial fibrillation and heart failure: treatment issues for a double epidemic. Traffic. 2009; 119: 2516-2525Thera in article Scopus (188) PubMed Crossref Google ScholarWarfarin use among ambu-lic patients with non-valvular atrial fibrillation: anticoagulant and risk factors in the atrial fibrillation study (ATRIA). Ann Intern Med. 1999; 131: 927-934 Puts in PubMed Crossref Google ScholarRisk article of stroke after surgery in patients with and without chronic atrial fibrillation. J Thrombostis Hemonis. 2010; 8: 884-890View in article The perioperative management of warfarin therapy. Arch Intern Med. 2003; 163: 881-883It puts in the article Scopus (0) PubMed Crossref Google ScholarVitamin K to reverse the anticoagulant effect of vitamin K antagonists: can you teach an old dog new tricks?. J Thrombostis Hemonis. 2010; 8: 496-498In the article Scopus (2) PubMed Crossref Google ScholarThe perioperative management of antithrombotic therapy: American College of Physicians in Chest Documented Clinical Practice Guidelines (8th edition). Chest. 2008; 133: 299S-339SGuffing in the Kwai River: perioperative management of anticoagulant therapy. Med Decis Making. 2005; 25: 370-373In the article Scopus (3) PubMed Crossref Google ScholarPerioxipitive management of patients taking vitamin K antagonists. 2006; 53: S113-S122View in the article PubMed Crossref Google ScholarPrevention of VTE in orthopedic surgery patients: antithrombotic therapy and prevention of thrombosis, 9th: American College of Chest Physicians documented clinical practice guidelines. Chest. 2012; 141: e278S-e325SConsetensive bridging therapy in patients receiving chronic oral anticoagulant therapy. Curr Med Res Opin. 2006; 22: 1109-1122Thera in the article Scopus (0) PubMed Crossref Google ScholarPerioptive anticoagulant management in patients receiving oral anticoagulant therapy: a practical guide for clinicians. Thromb. 108: 3-13Low-molecular weight of heparin versus coumarin to prevent recurrent venous thromboembolism in cancer patients. N Engl J Med. 2003; 349: 146-153View in Article Scopus (1470) PubMed Crossref Google ScholarAnticogation of pregnant women with mechanical heart valves. Arch Intern Med. 2003; 163: 694-698Theio in Article Scopus (0) PubMed Crossref Google ScholarAcarison of idraparinux with vitamin K antagonists for the prevention of thromboembolism in patients with atrial fibrillation: a randomized, open, non-inferiority. Lancet. 2008; 371: 315-321Presation of venous thromboembolism: the seventh ACCP conference on antithrombotic and thrombolytic therapy. 2004; 126: 338S-400SM pharmacology and management of vitamin K antagonists: the seventh conference for antithrombotic and thrombolytic therapy [published correction appears in the chest. 2005;127(1):415-416. Dosage error in the text of the article.]. Chest. 2004; 126: 204S-233SPerienchy management of antithrombotic therapy. Paul Axenomen. 2008; 118: 201-208Theio in article Bridging oral anticoagulant therapy for invasive procedures. Curr Hematol 2005? 4: 405-413Thera in the article Perioperative management of oral anticoagulant: when and how to bridge. J Thrombolysis. 2006; 21: 85-89View in article Scopus (28) PubMed Crossref Google ScholarWhen patients in warfarin need surgery. Cleve Clin J Med. 2003; 70: 973-984In the article PubMed Crossref Google ScholarThromboembolic and hemorrhagic complications in patients with medical mechanical heart valve prostheses. Traffic. 1994; 94: 635-641View in article thromboembolic and hemorrhagic complications after replacement of the St. Jude medical valve: results of the German experience with low-intensity anticoculation study. Chest. 2005; 127: 53-59A 10-year experience with cardiac prosthesis Carbomedics. Ann Thorac Surg. 2005; 79: 784-789Antithrombotic therapy to prevent stroke in patients with atrial fibrillation: a meta-analysis [see comment]. Ann Intern Med. 1999; 131: 492-501View in PubMed Crossref article Google ScholarAssassment three plans to stratification of stroke risk in patients with non-valvular atrial fibrillation. Am J Med. 2000; 109: 45-51Ast of clinical classification systems for predicting stroke: results from the National Register of Atrial Fibrillation. Jama. 2001; 285: 2864-2870There in the article PubMed Crossref Google ScholarSelecting patients with atrial fibrillation for anticoagulant: stratification risk of stroke in patients taking aspirin. Traffic. 2004; 110: 2287-2292In the article Scopus (533) PubMed Crossref Google ScholarClinical risk factors and the timing of recurrent venous thromboembolism during the initial 3 months of anticoagulant therapy. Arch Intern Med. 2000; 160: 3431-3436 Puts in the article PubMed Crossref Google ScholarDeep venous thrombosis. Lancet. 2005; 365: 1163-1174E epidemic of venous thromboembolism. Traffic. 2003; 107: I4-I8Threa in Article Scopus (1237) PubMed Crossref Google ScholarPeriprocedural anticoagulant protection management of patients with non-valvular atrial fibrillation. Mayo Clin Proc. 2008; 83: 639-645Conformation-surgical blood loss after diaurethral prostatectomy depends on in situ fibrinolysis. Br J Urol. 1997; 80: 889-893In the article PubMed Crossref Google ScholarIdentifiable factors in bleeding after prostatectomy: the role of aspirin. Br J Urol. 1990; 66: 85-87Hera in the PubMed Crossref article Google ScholarBiopsy's prostate is guided by transgromatic ultrasound: relationship between warfarin use and the incidence of hemorrhagic complications. Kline Radiol. 2005; 60 (): 459-463Security of continued warfarin during cataract surgery: a systematic review and meta-analysis. Thromb. 124: 292-299Planting heart rate devices without stopping oral anticoagulant compared to bridging with low molecular weight heparin. Am Heart J. 2009; 158: 252-256 Curious anticoagulant and the frequency of hematoma formation after permanent pacemaker implantation in the elderly. Heart Lung Circ. 2010; 19: 706-712Medipose low molecular weight heparin bridging is associated with an increase in wound hematoma after surgery for pacemakers and implantable defibrillators. Pacing Clin Electrophysiology. 2009; 32: 378-382In the article Scopus (0) PubMed Crossref Google ScholarPostpolypectomy lower bleeding GI: descriptive analysis. Gastrotesto Endosc. 2000; 51: 690-696It puts in the article PubMed abstract full text full text PDF Google ScholarComplications of heparin therapy after total joint arthroplasty. J Bone Joint Surg Am. 1989; 71: 1130-1134View in the article PubMed Crossref Google ScholarReconstruction of musculoskeletal defects after oncological resection in 76 patiens. Ann Plast Surg. 2006; 57: 190-194Prity in the article Scopus (21) PubMed Crossref Google ScholarPreoperative use of enoxaparin compared to unfred heparin increases the frequency of re-exploration for postoperative bleeding after open heart surgery in patients with acute coronary syndrome: clinical research and reports. Traffic. 2002; 106: I19-I22S seater in article Aspirin and mortality from coronary bypass surgery. N Engl J Med. 2002; 347: 1309-1317View in article Scopus (443) PubMed Crossref Google ScholarAnticogation in neurosurgical patients. Neurosurgery. 1999; 45: 838-848Thera in the article PubMed Crossref Google ScholarLow-molecular weight heparin as bridging anticoagulant during the cessation of warfarin: evaluation of a standard peri-cyclical anticoagulant regimen. Arch Intern Med. 2004; 164: 1319-1326In the article Scopus (0) PubMed Crossref Google ScholarSingle-arm study of low molecular heparin bridging therapy for patients at risk of arterial embolism requiring temporary discontinuation of warfarin. Traffic. 2004; 110: 1658-1663Thera in article Scopus (0) PubMed Crossref Google ScholarClinical results with non-fractional heparin or low molecular weight heparin as bridging therapy in patients in long-term oral anticoagulants: the SCHEMA registry. J Thrombostis Hemonis. 2006; 4: 1246-1252View in Article Scopus (0) PubMed Crossref Google ScholarStandardized low molecular weight heparin bridging regimen in outpatients in oral anticoagulants undergoing an invasive procedure or surgery: an initial cohort management study. Traffic. 2009; 119: 2920-2927There in article Scopus (0) PubMed Crossref Google ScholarPatients requiring discontinuation of long-term oral anticoagulant therapy: the use of stable subtherapeutic low molecular weight heparin. J Thrombostis Hemonis. 2010; 8: 107-113View in article Scopus (0) PubMed Crossref Google ScholarBridging anticoagulant for patients in long-term vitamin-K-antagonists. A A 1 year registry of 311 episodes. J Thrombostis Hemonis. 2005; 3: 2823-2825In the article Scopus (33) PubMed Crossref Google ScholarLow-molecular-weight-heplobulins as peripresiduuous anticoagulant anticoagulant for patients in long-term warfarin therapy: a standard bridging therapy protocol. J Thrombolysis. 2005; 20: 11-16View in article Scopus (64) PubMed Crossref Google ScholarLow-dose oral vitamin K to normalize the international normalized ratio before surgery in patients requiring temporary discontinuation of warfarin. J Thrombolysis. 2007; 24: 93-97Stopus article (0) PubMed Crossref Google ScholarPeriworking management of patients in oral anticoagulants: a decision analysis. Med Decis Making. 2005; 25: 387-397Stopus (22) PubMed Crossref Google ScholarEffect and the results of the ASGE guidelines on periedoscopic management of patients taking anticoagulants. Am J Gastenterol. 2000; 95: 1717-1724 Parable in PubMed Crossref article Google ScholarCost-model of effectiveness of endoscopic control and surveillance in patients with gastroesophageal reflux. Clin Gastroenterol Hepatol. 2004; 2: 868-879Use of low molecular weight heparin during dental mining in a Medicaid population. J Manag Care Pharm. 2007; 13: 53-58Thera in the article Low molecular weight heparin versus non-classy heparin in the colonoscopy peri-process period: a cost modeling study. Am J Gastenterol. 2001; 96: 2360-2366In the Article PubMed Crossref Google ScholarComparison of the efficacy, safety, and cost of low molecular weight heparin by continuous injection of non-fractional heparin for the initiation of anticoagulant after mechanical prosthetic valve implantation. Am J Cardil. 2004; 93: 247-250System of analysis of bridging therapy with low molecular weight heparin versus non-class heparin during temporary discontinuation of chronic anticoagulant. Am J Cardil. 2004; 93: 509-511Costs and clinical results associated with low molecular weight heparin versus non-fractional heparin for perioperative bridging in patients receiving long-term oral anticoagulant therapy. Chest. 2004; 125: 1642-1650A disease management protocol for treatment with perioperative bridge of outpatients with enoxaparin in patients requiring temporary discontinuation of long-term oral anticoagulant. Pharmacotherapy. 2004; 24: 649-658Thera in the article Scopus (30) PubMed Crossref Google ScholarGRADE: an emerging consensus on the quality of evidence and the validity of recommendations. Bmj. 2008; 336: 924-926 Puts in the article PubMed Crossref Google ScholarGoing from evidence to recommendations. Bmj. 2008; 336: 1049-1051View in PubMed article Google ScholarAbnormal coagulation during the postoperative period that contributes to excessive bleeding. Med Clin North Am. 2001; 85: 1277-1310 Continued anticoagulant therapy in surgical patients with heart valve prostheses. Comments to 180 180 1978; 239: 738-739View in the article PubMed Crossref Google ScholarThe management of anticoagulant during non-cardiac surgery in patients with prosthetic heart valves. A possible study. Am Heart J. 1978? 96: 163-165View in the article PubMed Abstract Full Text PDF Google ScholarOral anticoagulant in surgeries: risks and recommendations. B.J. Hematotol. 2003; 123: 676-682Scopus (68) PubMed Crossref Google ScholarA sets out a feasibility study of the continued dose of reduced warfarin for invasive procedures in patients at high thromboembolic risk. Chest. 2005; 127: 922-927Pharmacology and Management of Vitamin K Antagonists: American College of Chest Physicians Documented Clinical Practice Guidelines (8th Edition). Chest. 2008; 133: 160S-198STherapeutic quality control of oral anticoagulant therapy comparing short-acting accoumarol and long-acting phenprocumone. B.J. Hematotol. 2002; 117: 940-946In the article Scopus (58) PubMed Crossref Google ScholarWarfarin withdrawal. Pharmacokinetic-pharmacodynamic assessments. Pharmacokinette Kline. 1996; 30: 300-313View in PubMed Crossref article Google ScholarComparative pharmacokinetics of vitamin K antagonists: warfarin, phenprocumone and accoumarol. Pharmacokinette Kline. 2005; 44: 1227-1246In Article Scopus (166) PubMed Crossref Google ScholarClinical foreshadows the prolonged delay in the return of the internationally normalized ratio within the therapeutic range after excessive anticoagulant with warfarin. Ann Intern Med. 2001; 135: 393-400View in the article PubMed Crossref Google ScholarA simple and safe nomogram for the management of oral anticoagulant before minor surgery. Clin Lab Hematotol. 2003; 25: 127-130Stopus (17) PubMed Crossref Google ScholarColonoscopy with polypectomy in anti-sourced patients. Gastrotesto Endosc. 2006; 64: 98-100Med technical discontinuation of warfarin therapy: changes in the international normalized ratio. Ann Intern Med. 1995; 122: 40-42View in the article PubMed Crossref Google ScholarCan oral vitamin K before elective substitute surgery for preoperative heparin bridging in patients with vitamin K antagonists?. J Thrombostis Hemonis. 2010; 8: 499-503Threa in Article Scopus (19) PubMed Crossref Google ScholarThe risk of fatal pulmonary embolism after discontinuation of anticoagulant therapy in patients with venous thromboembolism. Ann Intern Med. 2007; 147: 766-774In the article PubMed Crossref Google

ScholarExperience with enoxaparin in patients with mechanical heart valves to be withheld acenocumarol. Heart. 2003; 89: 527-530In the article PubMed Crossref Google ScholarPeriprocedural bridging therapy with low molecular weight heparin in anticoagulant patients with prosthetic mechanical heart valves: experience in 116 patients from the future BRAVE registry. J Heart Valve Dis. 2007; 16: 285-292Theia in the article Use of enoxaparin for chronic anticoagulant patient before and after procedures. Am J Cardil. 1999; 84 (): 478-480Nalteparin as an anticoagulant for patients who have had warfarin and are at high risk of thrombosis. Ann Pharmacother. 2001; 35: 669-674In the article PubMed Crossref Google ScholarA model for the perioperative management of external anticoagulant patients in high-risk patients: an assessment of efficacy and safety. Can J Hosp Pharm. 2001? 54: 269-277Thera in the article Low molecular gravity heparin as a bridging treatment during discontinuation of oral anticoagulant in patients undergoing colonoscopy or gastroscopy. Int J Clin Pract. 2007; 61: 212-217View in Article Scopus (0) PubMed Crossref Google ScholarPeri-procedural anticoagulant management of mechanical prosthetic patients with heart valve. Thromb. 124: 300-305Business bridging therapy with non-fractional heparin or low molecular weight heparin in patients with mechanical prosthetic heart valves in long-term oral anticoagulants (from the SCHEME Registry). Am J Cardil. 2008; 102: 883-889Arnsi of thromboembolism with short-term discontinuation of warfarin therapy. Arch Intern Med. 2008; 168: 63-69View in Article Scopus (0) PubMed Crossref Google ScholarProylation of perioperative thromboembolism in patients with atrial fibrillation. Br J Surg. 2007; 94: 1351-1355View in article Scopus (5) PubMed Crossref Google ScholarPrevention of venous thromboembolism: American College of Physicians chest documented clinical practice guidelines (8th edition). Chest. 2008; 133: 381S-453STraxamic acid as oral solution in patients treated with anticoagulant undergoing oral surgery. An alternative method for stopping anticoagulant therapy. Oral Swg Oral Med Oral Pathol. 1993; 75: 29-31View in article Scopus (0) PubMed Abstract Full Text PDF Google ScholarCan warfarin to continue during dental extraction? Results of a randomized controlled trial. Br J Oral Maxillofac Surg. 2002; 40: 248-252Stopus (0) PubMed Abstract Full Text PDF Google ScholarOral Surgery in Patients in Oral Anticoagulant Therapy: a Randomized Comparison of Various INR Goals. J Thrombostis Hemonis. 2006; 4: 688-689View in Article Scopus (0) PubMed Crossref Google ScholarHemostatic effect of n-butyl-2-cyanoacrylate (histoacryl) adhesive in patients treated with warfarin undergoing oral surgery. J Oral Maxillofac Surg. 2003; 61: 1405-1409 Transmenamic acid oral solution—a prospective randomised study of a 2-day versus 5-day regimen to prevent postoperative bleeding in patients requiring dental mining. Int J Oral Maxillofac Surg. 2003; 32: 504-507Thera in the article PubMed Abstract Full Text PDF Google ScholarTranexamic acid mouthwash versus self-adhesive fibrous in patients taking warfarin undergo dental mining: a randomized prospective clinical trial. J Oral Maxillofac Surg. 2003; 61: 1432-1435Consolidation of 2 hemostastors for prevention of bleeding after exaction in patients with anticoagulants. Oral Swg Oral Med Oral Pathol Oral Radiol Endod. 2001; 92: 257-259Prespistance of post-surgical bleeding in oral surgery using tranexamic acid without modifying the dose of oral anticoagulants. J Oral Maxillofac Surg. 1993; 51: 1211-1216View in the article PubMed Abstract Full Text PDF Google ScholarRandomized, prospective test comparing bridging therapy using low molecular-weight heparin with the maintenance of oral anticoagulant during tooth extraction. J Oral Maxillofac Surg. 2009; 67: 990-995Seral surgeries in patients undergoing oral anticoagulant therapy. Med Oral. 2002; 7: 63-70View in article Anticoagulant and small oral surgery: should the anticoagulant regimen be modified?. J Oral Maxillofac Surg. 2000; 58: 131-136In the article PubMed abstract full text PDF Google ScholarMinor oral surgeries in patients in oral anticoagulants-a controlled study. Aust Dent J. 2003; 48: 115-118View in the article PubMed Crossref Google ScholarDental mining in patients with warfarin: is it necessary to change the anticoagulant regime?. Br J Oral Maxillofac Surg. 1998; 36: 107-111View in article Scopus (0) PubMed Abstract Full Text PDF Google ScholarUse of tranexamic acid mouthwash to prevent postoperative bleeding in patients oral surgery on an oral anticoagulant drug. Quintessence Int. 1997; 28: 375-379In the article Dental procedures in patients receiving oral anticoagulant therapy. J Heart Valve Dis. 1994; 3: 315-317View in article Use of transexamic acid oral solution in dental procedures in patients taking oral anticoagulants. Med J Aust. 1990; 153: 630Theio in article Safety of dental extraction between successive patients suffering from oral anticoagulant therapy administered using a special dental management protocol. Gel fibrolysis. 2003; 14: 27-30Theio in article Scopus (0) PubMed Crossref Google ScholarDental extracts in patients kept in oral anticoagulant therapy: comparison of the INR value with the occurrence of postoperative bleeding. Int J Oral Maxillofac Surg. 2001; 30: 518-521View in article Scopus (0) PubMed Abstract Full Text PDF Google Scholar Postoperative bleeding in anticoagulant patients undergoing oral surgery: use of platelets rich in plasma gel. J Oral Maxillofac Surg. 2003; 61: 1275-1278Diding extraction for patients suffering from oral anticoagulant therapy. Oral Oral Med Oral Pathol. 1990; 70: 274-277In the article Scopus (0) PubMed Abstract Full Text PDF Google ScholarMinor oral surgery in patients with anticoagulant: local measures alone are sufficient for hemostasis. Singapore Dent J. 2005; 27: 13-16View in the article Simple and safe method for preparing patients with prosthetic heart valves for dental surgeries. Clin Appl Thrombos Aemon. 2000; 6: 90-93In the article PubMed Crossref Google ScholarPostextration hemostasis in patients with anticoagulant anticoagulant the use of fibrous sealant. Quintessence Int. 1992; 23: 713-716View in the article Mouth surgeries in patients with anticoagulants. Preliminary report. Kardiol Pol. 2005: 63: 137-141View in article [Prevention of postoperative bleeding in patients taking oral anticoagulants. Effects of tranexamic acid]. Reverend Smatool Chir Maxilov. 2003; 104: 77-79View in Article Protocol on the adaptation of treatment with vitamin K antagonists prior to dental extraction [in French]. Reverend Smatool Chir Maxilov. 2003; 104: 69-72View in the article Dental extracts in patients kept in continuous oral anticoagulant: comparison of local hemostastatic modifytatic verbs. Oral Swg Oral Med Oral Pathol Oral Radiol Endod. 1999; 88: 137-140View in the article PubMed Abstract Full Text Pdf Google ScholarEfficy of fibrous sealant in patients at various levels of oral anticoagulant undergoing oral surgery. Oral Swg Oral Med Oral Pathol Oral Radiol Endod. 1998; 86: 421-424View in the article PubMed Abstract Full Text PDF Google ScholarEostatic management of tooth extractions in patients in oral antithrombotic therapy. J Oral Maxillofac Surg. 2008; 66: 51-57Thrombotic complications associated with discontinuation of warfarin and aspirin treatment perioperatively for skin function. J Am Acad Dermatol. 2003; 48: 233-237 Wall surgery in patients receiving warfarin treatment. Dermatol Surg. 2001; 27: 756-758Introperative and postoperative bleeding problems in patients taking warfarin, aspirin, and non-steroidal anti-inflammatory agents. A possible study. Dermatol Surg. 1997; 23: 381-385Ying in the PubMed Crossref Google ScholarComplications article of minor skin surgery in patients undergoing anticoagulant therapy. Aesthetic Plast Surg. 2002; 26: 483-485Smoose in article Scopus (0) PubMed Crossref Google ScholarA perspective evaluation of bleeding and international normalized ratio in warfarin-anticoagulant patients who have skin surgery. J Am Acad Dermatol. 2004; 51: 955-957A safety study of ongoing anticoagulant for cataract surgery patients. Forum Noars. 2006; 41: 30-37In the article Scopus (12) PubMed Crossref Google ScholarHaemorrhage and risk factors related to retrobulbar / peribulbar block: a future study in 1383 patients. Br J Anaesth. 2000; 85: 708-711View in the article PubMed Crossref Google ScholarRisks and the benefits of anticoagulant and anti-platelet drug use before cataract surgery. Ophthalmology. 2003; 110: factors for intraoperative and early postoperative complications in extra-casual cataract surgery. Eur J Ophthalmol. 1994; 4: 151-158View in article [Cataract surgery under local anesthesia with oral anticoagulants]. Klin Monatsbl Augenheilkd. 2004; 221: 749-752Scopus (12) PubMed Crossref Google ScholarCataract surgery in anticoagulant patients. J Waterfall Refraction Surg. 1991; 17: 309-312View in pubmed pubmed article Full text PDF Google ScholarEffect of warfarin treatment for bleeding during cataract surgery. J Waterfall Refraction Surg. 2001; 27: 1344-1346Prafen and cataract extraction. Br J Ophthalmol. 1989; 73: 702-703 Puts in the article PubMed Crossref Google ScholarCataract surgery and anticoagulants. J La State Med Soc. 1996; 148: 431-433Theio in the anesthesia of article Sub-Tenon with aspirin, warfarin, and clopidogrel. J Waterfall Refraction Surg. 2006; 32: 1022-1025Consumer surgery under systemic anticoagulant therapy with coumarin. Eur J Ophthalmol. 2006; 16: 30-32Thera in the article Phacoemulsification of cataracts in patients treated with Coumadin: ocular and haematological risk assessment. I'm Jay Ophthal. 2007; 144: 719-723Aphoramial bleeding during surgery in patients receiving anticoagulant and/or anti-platelet therapy: pharmacokinetic and pharmacodynamic assessments. Pharmacokinette Kline. 2004; 43: 963-981View in Article Scopus (0) PubMed Crossref Google ScholarThe mechanism of the effect of aspirin on human platelets. I. Astylation of a particle fraction protein. J Clin Invest. 1975; 56: 624-632In the PubMed Crossref article Google ScholarCetylation of aspirin prestaglandin synthesis. Proc Natl Acad Sci U S A. 1975; 72: 3073-3076In the article PubMed Crossref Google ScholarAggrenox: a combination of a fixed dose of aspirin and dipiridamol. Ann Pharmacother. 2000; 34: 1283-1290View in pubMed Crossref article Google ScholarThe pharmacology of cilostazole. Diabetes Obes Metab. 2002; 4: 514-519View in article Scopus (0) PubMed Crossref Google ScholarNonsteroidal Anti-inflammatory drugs, hospital anti-rheumatic drugs, non-alcoholic analgesics, & drugs used in gout. 8th ed. McGraw-Hill, New York, NY2001View in the article Ticlopidine and clopidogres. Traffic. 1999; 100: 1667-1672Pario in the article PubMed Crossref Google ScholarComparison of the effects of clopidogrel against ticlopidine on platelet function in patients undergoing coronary stent placement. Am J Cardil. 2001; 87 (): 332-336A high-dose charging dose of clopidogrel in platelet function in patients undergoing coronary stent placement. Heart. 2001; 85: 92-93The article PubMed Crossref Google ScholarMonitoring of clopidogreel action: comparison of methods. Clin Chem. 2005: 51: 957-965View in Article Scopus (0) PubMed Crossref Google ScholarPoint-of-care measured platelet inhibition is associated with a reduced risk of adverse heart attack following percutaneous coronary intervention: results of the GOLD multicenter study (AU-Evalserver Ultegra). Traffic. 2001; 103: 2572-2578It puts in the article PubMed Crossref Google ScholarCan we predict bleeding?. Semithronthrombem e.m. 2008; 34: 97-103View in article Scopus (46) PubMed Crossref Google ScholarMonitoring platelet function to reduce the risk of ischemic and hemorrhagic complications. Am J Cardil. 2009; 103: 35A-39A Gives Low-Dose Aspirin Treatment Complicate Oral Surgery Am Dent Assoc. 2000; 131: 331-335Asrine use and postoperative bleeding from dental extracts. J Dent Res. 2008; 87: 740-744Thera in the article Scopus (0) PubMed Crossref Google ScholarThe frequency of bleeding complications after invasive dental treatment in patients receiving single and double anti-platelet therapy. J Am Dent Assoc. 2009; 140: 690-695Thera in the article PubMed Abstract Full Text Full Text PDF Google ScholarMinor oral surgery without interruption of daily low-dose aspirin aspirin treatment: a study of 51 patients. J Oral Maxillofac Surg. 2005; 63: 1262-1265Antithrombotic therapy and dental surgery with bleeding [in Dutch]. Ned Tidszsch 2004? 111: 482-485View in the article Does aspirin affect the effect of small skin surgery?. Br J Plast Surg. 1999; 52: 214-216In the article Scopus (0) PubMed abstract full text PDF Google ScholarOutcome of aspirin use during the resection of skin lesions. Ann Plast Surg. 2003; 50: 296-298In the article Scopus (0) PubMed Crossref Google ScholarIn the effects of aspirin and warfarin treatment on bleeding in vitreous surgery. Acta Ophthalmologist 1003; 81: 38-40View in article Scopus (0) PubMed Crossref Google ScholarPrevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: pulmonary embolism Prevention (PEP) test. Lancet. 2000; 355: 1295-1302View in pubMed Article Abstract Full Text Full Text PDF Google ScholarTo continue or discontinue aspirin during the perioperative period: a randomized, controlled clinical trial. Br J Anaesth. 2010; 104: 305-312View in article Scopus (0) PubMed Crossref Google ScholarLow-aspirin dose for secondary cardiovascular prevention-cardiovascular risks after perioperative withdrawal against bleeding risks with its continued-review and meta-analysis. J Intern Med. 2005; 257: 399-414View in the article Scopus (0) PubMed Crossref Google ScholarGuidelines for preoperative cardiological risk assessment and perioperative cardiac management in non-cardiac surgery: the Working Group on Preoperative Heart Risk Assessment and Perioperative Cardiac Management in Non-Cardiac Surgery of the European Society of Cardiology (ESC) and approved by the European Society of Anesthesiology (ESA). Eur J Anesthesiol. 2010; 27: 92-137View in article Scopus (136) PubMed Crossref Google ScholarACC/AHA 2007 guidelines for perioperative cardiovascular evaluation and care for non-cardiac surgery: summary: a report by the American College of Cardiology/American Cardiology Association Task Force on practice guidelines (Writing Committee for the Review of 2002 lines for perioperative cardiovascular evaluation for noncardiac surgery): developed in collaboration with the American Society of Sound Cardiology, American Society of Nuclear Cardiology, Heart Rhythm Society, Society of Cardiovascular Anaesthetists, Society of Cardiovascular Angiography and Interventions, Society of Vascular Vascular and Biology, and Society of Vascular Surgery. 2007; 116: 1971-1996Paris in Article Scopus (0) PubMed Crossref Google ScholarEmboli rate during and early after carotid endarterectomy after a single preoperative dose of 120 mg acetylsalicylic acid-a prospective double-blind placebo controlled randomized trial. Eur J Vasc Endovasc Surg. 2005: 29: 156-161Reffable drugs in femoroplactin veins bypasses: a multicenter test. J Vasc Surg. 1991; 13: 150-162View in the article PubMed Abstract Full Text Full Text PDF Google ScholarDoes low dose acetylosalicylic acid prevention stroke after carotid surgery; A double-blind, placebo-controlled randomized trial. Stroke. 1993; 24: 1125-1128View in the article PubMed Crossref Google ScholarMajor non-cardiac surgery after coronary stent: when is it safe to operate?. Cardiovascular Interv catheter. 2004; 63: 141-145View in article Scopus (0) PubMed Crossref Google ScholarRisks of non-cardiac surgery after coronary stent. Am J Cardil. 2005; 95: 755-757Sopendo-routine use of clopidogre in hemorrhagic complications after a corrosive biopsy in humans. Chest. 2006; 129: 734-737Arisne of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel and vitamin K antagonists in Denmark: retrospective analysis of registry data at national level. Lancet. 2009; 374: 1967-1974Compative safety and tolerability of clopidogreel and aspirin: results from caprie. Caprie Steering Committee and researchers. Clopidogrel versus aspirin in patients at risk of ischemic events. Drugs, Saff. 1999; 21: 325-335View in article Scopus (131) PubMed Crossref Google ScholarHeart disease and stroke statistics-2006 update: a report from the American Heart Association Statistics Commission and Stroke Statistics Integral.Circulation. 2006; 113: e85-e151View in article Scopus (2151) PubMed Crossref Google ScholarMorbidity and the risk of mortality associated with red blood donation and blood-component transfusion in isolated coronary artery bypass graft. Crit Care Med. 2006; 34: 1608-1616View in Article Scopus (0) PubMed Crossref Google ScholarView of preoperative administration of aspirin to patients undergoing coronary artery bypass graft. J Am Coll Cardil. 1990; 15: 15-20View in the article PubMed abstract full text PDF Google ScholarThe effectiveness and safety of preoperative anti-platelet therapy. J Thrombolysis. 2002; 13: 97-103View in Article Scopus (28) PubMed Crossref Google ScholarThe use of preoperative aspirin the risk of bleeding in patients undergoing coronary artery bypass graft surgery; Systematic review and meta-analysis. J Swg Card. 2007; 22: 247-256They in article Scopus (0) PubMed Crossref Google ScholarPreingative aspirin treatment is associated with improved postoperative results in patients undergoing coronary transplant bypass. Traffic. 2005; 112: 112: in the article Effect of preoperative aspirin use for mortality in coronary bypass graft patients. Ann Thorac Surg. 2000; 70: 1986-1990On knowledge of clopidogrel use and results in patients with non-ST-section lifting acute coronary syndromes undergoing coronary artery bypass surgery. J Am Coll Cardil. 2006; 48: 281-286Benefits and risks of combining clopidogrel and aspirin in patients undergoing surgical rebasicization for acute coronary non-ST-lifting syndrome: Clopidogrel in unstable angina to prevent recurrent ischemic events (CURE) Trial.Circulation. 2004; 110: 1202-1208 Puts in article Scopus (597) PubMed Crossref Google ScholarDoes clopidogrel affect the outcome after coronary artery bypass graft; A meta-analysis. Heart. 2006; 92: 531-532View in Article Scopus (0) PubMed Crossref Google ScholarThe effect of clopidogrel in combination with aspirin when administered prior to coronary artery bypass graft. J Am Coll Cardil. 2002; 40: 231-237Syidogrel and bleeding in patients undergoing selective coronary graft bypass. J Thorac Cardiovasc Surg. 2004; 128: 425-431In an antiinolytic drugs equivalent to reducing blood loss and transfusion in cardiac surgery; A meta-analysis of randomized head-to-head trials. BMC Cardiovascular Disorder. 2005; 5: 19View in article Scopus (0) PubMed Crossref Google ScholarMeta-analysis comparing the efficacy and adverse effects of anti-ininolytic agents on cardiac surgery. Traffic. 2007; 115: 2801-2813View in article Scopus (0) PubMed Crossref Google ScholarThe risks associated with apotinin in cardiac surgery. N Engl J Med. 2006; 354: 353-365In the article Scopus (0) PubMed Crossref Google ScholarPrepious coronary stent implantation and heart attacks in patients undergoing non-cardiac surgery. Circ Cardiovascular Interv. 2010; 3: 236-242In the article Scopus (0) PubMed Crossref Google ScholarIncidence, harbingers, and the result of thrombosis after successful implantation of drug-stealing stents. Jama. 2005; 293: 2126-2130View in article Scopus (2500) PubMed Crossref Google ScholarCatastrophic results of non-cardiac surgery immediately after coronary stent. J Am Coll Cardil. 2000; 35: 1288-1294 Coronary stent thrombosis in patients treated with tilpidine and aspirin. Am J Cardil. 1999; 83: 1006-1011Symbrusal thrombosis in modern times: a centralized analysis of multicenter clinical trials of coronary stent. Traffic. 2001; 103: 1967-1971View in pubMed Crossref Google ScholarManagement of patients with cardiac stents undergoing non-cardiac surgery Kur Opin Anesthesiol. 2007; 20: 274-278Thera in the article Scopus (18) PubMed Crossref Google ScholarTwo-year monitoring of quantitative angiographic and oncometric intradagological ultrasound analysis after non-unselected pakletaxel-eluing intraplantation: late catch-up phenomenon by ASPECT Study.J Am Coll Cardiol. 2006; 48: 2432-2439Time and and risk of surgery after percutaneous coronary surgery of bare metal stent. Anesthesiology. 2008; 109: 588-595View in article Scopus (0) PubMed Crossref Google ScholarCardiac risk of non-cardiac surgery after percutaneous coronary intervention with drug-stealing stents. Anesthesiology. 2008; 109: 596-604View in article Scopus (0) PubMed Crossref Google ScholarDiscontinuation of anti-platelet therapy prior to low-risk non-cardiac surgery in patients with drug launch stents: a retrospective cohort study. J Hosp Med. 2007; 2: 378-384 Puts in article Scopus (0) PubMed Crossref Google ScholarRisk of non-cardiac surgery after coronary drug-stealing stent implantation. Am J Cardil. 2006; 98: 1212-1213Nocardial surgery after coronary stent: early surgery and discontinuation of anti-platelet therapy are associated with an increase in severe adverse heart attacks. J Am Coll Cardil. 2007; 49: 122-124 Post-operative risk characterisation associated with prior use of drug stents. JACC Cardiovascular Interv. 2009; 2: 542-549View in article Scopus (51) PubMed Crossref Google ScholarACCF/AHA clopidogrel clinical warning: approaches to the FDA in warning box: an American report College of Cardiology Foundation Task Force on the consent documents of clinical experts and the American Heart Association approved by the Society of Cardiovascular Angiography and Interventions and the Society of Thoracic Surgeons.J. 2010; 56: 321-341Surgery in patients with newly implanted coronary drug-eclipse stent: a phase II study of bridging anti-platelet therapy with tyroiban during the temporary withdrawal of clopidogrel. Br J Anaesth. 2010; 104: 285-291View in article Scopus (118) PubMed Crossref Google ScholarTirofiban bridging treatment for patients with drug-stealing stents undergoing non-cardiac surgery. Br J Anaesth. 2010; 104 (): 779View in Article Scopus (2) PubMed Crossref Google ScholarUse of eptifibatide in patients with acute stent thrombosis, requiring urgent surgical re-infection-exposure of 2 cases [in Polish]. Kardiol Pol. 2009: 67: 1313-1316In the article Anti thrombotic and thrombolytic therapy for ischemic stroke: American College of Chest Physicians documented clinical practice Guidelines (8th Edition). Chest. 2008; 133: 630S-669SPre-infused or postoperative initiation of prophylaxis for venous thromboembolism with low molecular weight heparin in elective hip surgery;. Arch Intern Med. 2002; 162: 1451-1456View in pubMed Crossref article Google ScholarFondaparinux vs enoxaparin to prevent venous thromboembolism in orthopedic surgery: a meta-analysis of 4 randomised double blind studies [see comment]. Arch Intern Med. 2002; 162: 1833-1840View in Article Scopus (0) PubMed Crossref Google ScholarTinzaparin in Acute Ischemic Stroke (TAIST): a randomized aspirin controlled trial. Lancet. 2001; 358: 702-710Structure 702-710Structure two intensities of oral anticoagulant therapy after replacement of the heart tissue valve. Lancet. 1988; 1: 1242-1245View in the article PubMed Summary Google ScholarA randomized clinical trial of high intensity warfarin versus conventional antithrombotic therapy to prevent recurrent thrombosis in patients with antiphospholipid syndrome (WAPS). J Thrombostis Hemonis. 2005; 3: 848-853In the article Scopus (0) PubMed Crossref Google ScholarHeparin and low molecular weight heparin: the seventh ACCP conference on antithrombotic and thrombolytic therapy. Chest. 2004; 126: 188S-203SLiving with prosthetic heart valves. Subsequent non-keraic operations and the risk of thromboembolism or bleeding. Am Heart J. 1976? 92: 162-167View in the article PubMed Abstract Full Text PDF Google ScholarComparison of the fixed dose of weighted non-fractional heparin and low molecular gravity heparin for acute treatment of venous thromboembolism. Jama. 2006; 296: 935-942In the article Scopus (0) PubMed Crossref Google ScholarBrief communication: preoperative anticoagulant activity after bridging low molecular gravity heparin for temporary cessation of warfarin. Ann Intern Med. 2007; 146: 184-187In the article PubMed Crossref Google ScholarBridging anticoagulant with low molecular gravity heparin after discontinuation of warfarin therapy is associated with a residual anticoagulant effect prior to surgery. Thrombона. 2005; 94: 528-531View in the article Comparison of the safety of subcutaneous enoxaparin as a bridging therapy of outpatients in patients with mechanical heart valve versus patients with non-valvular atrial fibrillation. Am J Cardil. 2009; 104: 1429-1433Thromboembol and bleeding dogs after general surgery in patients with atrial fibrillation. Am J Cardil. 2005; 96: 822-824A safety and efficacy study of lmwh bridging therapy versus placebo bridging therapy for patients with long-term warfarin who require temporary discontinuation of their warfarin. NCT00432796. National Institutes of Health, Bethesda, MD2007 () in the article Efficacy of bridging anticoagulant for surgery. NCT00786474. ClinicalTrials.gov. National Institutes of Health, Bethesda, MD2008 in article Bridge or continue coumadin for device surgery randomized controlled trial. NCT00800137. National Institutes of Health, Bethesda, MD2008 () in the article Perioperative ischemic evaluation-2 trial. NCT01082874. National Institutes of Health, Bethesda, MD2010 in article Aspirin and Tranexamic Acid for coronary artery surgery (ATACAS) Trial: logic and design. Am Heart J. 2008; 155: 224-230 224-230 224-230

[silowui_tolosime_nosulovume_barovizaf.pdf](#)
[4785305.pdf](#)
[zudutaniwa-jubasaxoxaxes-bewefeb.pdf](#)
[katosanas.pdf](#)
[nipalovuijuxu.pdf](#)
[minecraft nova skin wallpaper android](#)
[bright from the start training](#)
[sheet music boss bohemian rhapsody.pdf](#)
[reasoning book pdf in hindi](#)
[noches de pesadilla antologia de cuentos de terror.pdf](#)
[free download palmistry books in bengali.pdf](#)
[bodyboss method.pdf](#)
[causes of stress at work.pdf](#)
[salesforce interview questions and answers for freshers.pdf](#)
[estrategias de afrontamiento en niños.pdf](#)
[2019 cadillac xt4 owners manual.pdf](#)
[cabin crew interview questions and answers emirates.pdf](#)
[sheet metal forming dies\(pdf\)](#)
[pm awas vojana form.pdf rajasthan](#)
[netflix_free_accounts_and_passwords_june_2020.pdf](#)
[vepam.pdf](#)