


I'm not robot



Continue

Mickey thompson et street r 305/45r17

Enhanced Traction D.O.T. Approved Excellent Tread Contact 28x12.50R17 Size R2 Composite Tubeless Construction Mickey Thompson ET Street R Tire To Improve Traction on the Street or Strip Mickey Thompson ET Street R Drag Radial Tire! The Mustang gives you enough power to make a normal tire spin instead of a hook. The ET Street R radial tire is built from an R2 compound sticky enough to have little or no burnout required. This tire has a minimal tread void that provides excellent tread contact. The tubeless construction has a lead-free seal without the need for tire pipes! Tire Specs -Tire Diameter: 28.1 -Tread Width: 10.50 -Section width: 11.7 -Approved wheel width: 9.5-11.5 -Compound: R2 -Circumference: 88 Thompson Mickey Racing Tires - NO WARRANTY - Click here Recommended fit Depending on the year model, certain tire sizes can work only on the front, rear, or not at all. We've made it easier for you to decide whether or not a certain tyre size works on your app. Check out the tyre size guide at the link below to see if this tyre will work during that year. Mustang Tire Size Guide - Click here for Drag Radial Disclaimer - All Drag Radial Tires are designed for drag racing use. While Mickey Thompson's ET Street Radial Tires, Nitto NT05R, and NT555R2 meet department of transportation requirements for marking and performance, they are recommended for dry sidewalk use only. It is not recommended to mix radial and non-radial tyres on the same vehicle. - Due to the composition and design of soft composite tyres, driving and handling may differ from conventional composite tyres. This includes, but is not limited to, tracking, vibrations, and/or a floating sensation. California residents: WARNING: Cancer and Reproductive ártalom-www.P65Warnings.ca.gov* Beefcake Racing is not responsible for any price changes, mis-marked items or any other misrepresented printed items. By purchasing items from Beefcake Racing, you agree to all stages of the disclaimer. ** Team Beefcake Inc. does not ship non-CARB legal products to California. If you need help finding a CARB-free product, please call (855-TBR-RACE) and contact a product specialist. Please refer to the (Carb exempt page) for complete California shipping information. WARNING: Motor vehicles contain fuel, oils and liquids, battery columns, terminals and related accessories containing lead and lead compounds and other chemicals known to the state of California that cause cancer, birth defects and other reproductive damage. These chemicals can be found in the vehicle parts and accessories, both new and replacement. During servicing, these vehicles produce used oil, waste fluid, fat, smoke and particles known to cause cancer, birth defects and reproductive damage. Tools: WARNING: Grinding, sawing, grinding, drilling and construction activities contain chemicals known by the state of California to cause cancer and birth defects or other reproductive damage. Some examples of these chemicals are lead-based paints, crystalline silica in brick and cement and other masonry products, and arsenic and chromium in chemically treated lumber. The risk of exposure to such chemicals varies, depending on how often you do this type of work. To reduce exposure, work in a well-ventilated area and with approved safety devices, such as dust masks, specially designed to filter out microscopic particles. Power lines WARNING: The wires in these products contain chemicals that are known by the state of California to cause cancer and birth defects or other reproductive damage. Wash your hands after treatment. It's a tire you can drive on the street. ET Street R Mickey Thompson is a D.O.T street legal drag tire with proven racial compounds and incredible traction.D.O.T. Approved for street useConstruction:ST - Manual transmissions (medium compound)W - Extra tread width (please note the actual tread and section width on the specification sheet)S - Rigid sidewall structural aids due to faster reaction time due to less tyre distortion. Also good are high horsepower applications and heavy cars (more than 3000 lbs)C - Sport CompactR - Radial Construction * Rigid Sidewall† High-growth TireMICKEY THOMPSON COMPOSITE SELECTION CHARTTreal Soft M7 X5 M5 M6 M8 M8 R1 X8 L8 X7 L4B2 - MotorcyclesL4 - FWD VehiclesL7 - MotorcyclesL8 - Good compound for general useL2 - The Jr. DragstersM5 - Good compound for general useM7 - Good compound for high horsepower applications ClutchM8 - Aggressive compound Index Racing, works well in all environmental and track conditionsX5 - Cooler running version of M5X7 - Cooler running version of L7X8 - Cooler running version of L8R1 - Special compound ET Drag RadialR2 - Special compound ET Street S/S, ET Street R & ET Street Radial Pro TIRE SIZE MEAS FELNIFKAPPROVED FELNI O. THE SECT. WIDTH: TREAD WIDTH OF THE CIRC. COMPLEX APX. Wt. Lbs. MATL #. PART # P205/50R1523X8.50R15 (8.5) 5.5-7.5 23.2 8.3 7.4 72.9 R2 19 900000028457 3540 Buy P225/50R1524X9.501 5 (7.0) 6.0-8.0 24.1 9.1 7.8 75.7 R2 21 90000024650 3550 Buy P275/50R1526X11.50R15 (8.5) 7.5-9.5 2.6 3.3 11.2 10.1 82.6 R2 28 90000024641 3552 Buy P255/60R1527X10.50R15 (7.5) 7.0-9.0 27.5 10.3 8.8 86.0 5 R2 26 90000024642 3553 Buy P275/60R1528X11.50R15 (8.0) 7.5-9.5 28.2 11.1 9.5 88.6 R2 30 90000028458 Buy P325/50R1528X13.50R15 (10.0) 9.0-11.5 28.3 13.0 11.3 88.9 R2 33 90000024644 3555 Buy P295/65R1530X12.50R15 (8.5) 8.0-10.5 30.2 12.1 10.5 94.9 R2 34 90000028459 3558 Buy P315/60R1530X13.50R15 (9.5)) 30.1 13.3 11.7 94.5 R2 37 90000031236 3563 Buy 31X16.50R15LT (12.5) 11.0-14.0 32 16.3 13.4 100.4 R2 46 90000031238 3564 Buy TIRE SIZE /EQUIV. SIZE MEAS FELNIFKAPPROVED FELNI O. THE SECT. WIDTH: TREAD WIDTH OF THE CIRC. COMPLEX APX. Wt. Lbs. MATL #. PART # P275/40R1726X11.50R17 (9.5) 9.0-11.0 26.1 10.9 10.2 82 R2 27 90000028456 3573 Buy P315/35R1726X12.50R17 (11.0) 10.5-12.5 25.9 12.4 11.3 81.4 R2 30 90000024649 3571 Buy P245/45R1726X9.50R17 (8.0) 7.5-9.0 25.7 9.5 8.8 80.8 R2 25 90000024648 3570 Buy P305/45R1728X12.50R17 (10.0) 9.5-11.5 28.1 11.7 10.5 88.3 R2 31 90000024660 3572 Buy P315/50R1730X13.50R17 (10.0) 8.5-11.0 29.4 12.7 11.2 92.4 R2 35 90000031237 3576 Buy TIRE SIZE /EQUIV. SIZE MEAS RIMAPPROVED RIMS O.D. IN. SECT. WIDTH: TREAD WIDTH OF THE CIRC. COMPLEX APX. Wt. Lbs. MATL #. PART # P325/35R1827X13.50R18 (11.0) 10.0-12.0 27 13.1 1 12.1 84.8 R2 33 90000028455 3581 Buy P305/45R1829X12.50 R18 (10.0) 9.5-11.5 29 11.7 91.2 R2 32 900000024661 3580 Buy Race Compounds Wide Connection * Rigid sidewall † high growth tire acceptable exercise (except ET STREET R, ET STREET R BIAS and ET STREET S/S) THE WHEEL PERIOD WIDTH TREAD PLUS OR MINUS AN INCH. WARNING: Do not use on D.Yno. Important: All bias drag drive tires should be matched to within 1/2 inch roll out. Never use half of them on radial pull rubbers. MICKEY THOMPSON COMPOSITE SELECTION CHART MEDIUM SOFT X5 M5 R2 R2 R1 X8 L8 L7 L2 To identify the compound of the current M/T @ ET Drag tyres, look at the serial number on the sidewall of the tyre. EXAMPLE: CY1J M5 FJ2620 CONSTRUCTION ST Recommended manual transmissions (medium compound) W Extra tread width (please note the actual tread and section width spec sheet) S The rigid sidewall structure helps to lower tyre distortion with faster response times. Also good are high horsepower applications and heavy cars (over £3,000 R..... Radial construction compounds L2 The Jr. Dragsters L6 Good for high horsepower - Boosted Applications L7 Motorcycles L8 Good compound for general use M5 Good compound for general use R1 Special compound ET Drag Radial R2 Special Compound ET Street S/S, ET Street R&ET Street Radial Pro X5..... Cooler running version of M5 X8 Cooler running version of L8 funding is available at Affirm. Confirm.

