
Cara pasang closet duduk manual



Continue

In general there are two types of toilets that are treated in terms of how it is used time will be wasted. two types of toilet or toilet sit toilet and squat toilet. In Indonesia, toilets or squat toilets are often used in toilets and bathrooms. if in rural areas usually use wc cemplung or is commonly called latrines built on rivers or dams. but at this time with the development of technology, the ease of finding building materials and an increasingly open public understanding of toilet hygiene and their impact on body health, the use of two types of toilets began to be widely used because the public is also aware of the cleanliness of the river and the health of the wandering environment. In fact, the use of each type of toilet or toilet depends on the habits of the person from childhood. but the habit can vary depending on the person's level of knowledge and economic level. Why I say so, really this factor is not absolute, but the use of toilets or toilet seats is mainly used by the upper middle economy. Although, if the health of the two types of toilets is still under discussion and OK research, the authors do not discuss more about the above, but this article will only discuss more about how to install a toilet or toilet seat. This knowledge is important to us as a whole, at least to add knowledge and understanding to simple methods, especially to applicators and construction technicians. Installing toilets or toilet seats is an important part of creating the last bathrooms. With the following explanation at least you can practice it yourself at home. Read also toilet squats or toilet seat, which healthier thing to note when installing a toilet/toilet is that the bathroom should be tiled. A hygiene aqueduct (power pipe) measuring 1/2 inch, which is behind the toilet, should be prepared. Pipes measuring 4 inches as sewers should be installed with the tip of the pipe parallel or flat with ceramic floors. Read also How to choose the right bathroom ceramic floor, open the lid on the toilet and read the instructions so that you will know the distance from the back wall of the toilet to the center of the pipe (if you use the American brand standard distance is usually 30.5 centimeters). Preparation also required tools, among other things: measuring meter, screwdriver plus and screwdriver minus, cat and parrot pliers, wrench, silicon glue, electric drill, scissor, pipe lock, keys 10 and 12, dynabolt size 10 mm as much as 2 pieces.If the tools were prepared we go on stage 3 Don't prepare the funnels and clean pipes before installing the toilet Bowl lock hole (for the American standard branded toilets is 14.5 cm), mark it with a pencil or the like, and make holes on the right and left sides with such a distance, dividing the two middles of the pipe. Then insert the bolt, tighten it with key 12, remove the nut. You can see the drawn below next to the toilet and attach the wax ring by pressing it on the side of the hole and making sure it is sticky on the side of the toilet hole. Install the tap stop, T, flexible hose and shower jet located at the back of the toilet. Use a wrene or pipe lock to tighten it. If the toilet seat uses a bijet seat, then T should also be fitted on the back as well. If the toilet is installed first fears that it will make it difficult for you when you want to install a tap stop. The next toilet installation you have prepared on top of the bolt-on pipe holes is both on the right and left side. Insert a hole in the toilet's foot setup on the bolt and be sure to also attach the ring and nut, then tighten it with a size 12 lock or adjust it to the nut you are wearing. Install the tools in the tank finish and attach them to the toilet by installing the rubber tank first as a deterrent to leakage and tank mounts. Connect the flexible hose to the trim of the T and tank and tighten it, rotating the drat to taste. Also adjust your water level by adjusting water level control to suit your needs or to your liking. The next step is to attach the tank lid and press the button. Then place the seat lid on the toilet. The last step is to check the toilet you have established whether there is a water leak or leak in the tank and a flexible hose. If you follow the above steps carefully I can guarantee the installation of toilet seats in your home is good and true. If there are obstacles that you can't solve yourself trying to talk about it with friends or people you feel able to do the job of installing toilet seats in your home. And if you also have a toilet that is stuck or cul-de-sac can also contact our toilet suction service. Professional and ahi in this area, we serve several areas, such as gresik, surabaya, lamongan, sidoarjo, and mojokerto contact us, you can directly call this number to directly consult your toilet problem in the center of the house 0858 5482 9090 - 085101736544 (Mr. Ryan) In general there are two types of toilets that are considered in terms of how to use the time to spend. two types of toilet or toilet sit toilet and squat toilet. In Indonesia, toilets or squat toilets are often used in toilets and bathrooms. if in rural areas usually use wc cemplung Usually called latrines built on rivers or dams. but at this time with the development of technology, the ease of finding building materials and an increasingly open public understanding of toilet hygiene and their impact on body health, the use of two types of toilets began to be widely used because the public is also aware of the cleanliness of the river and the health of the wandering environment. In fact, the use of each type of toilet or toilet depends on the habits of the person from childhood. but the habit can vary depending on the person's level of knowledge and economic level. Why I say so, really this factor is not absolute, but the use of toilets or toilet seats is mainly used by the upper middle economy. Although, if the health of the two types of toilets is still under discussion and OK research, the authors do not discuss more about the above, but this article will only discuss more about how to install a toilet or toilet seat. This knowledge is important to us as a whole, at least to add knowledge and understanding to simple methods, especially to applicators and construction technicians. Installing toilets or toilet seats is an important part of creating the last bathrooms. With the following explanation at least you can practice it yourself at home. Read also toilet squats or toilet seat, which healthier thing to note when installing a toilet/toilet is that the bathroom should be tiled. A hygiene aqueduct (power pipe) measuring 1/2 inch, which is behind the toilet, should be prepared. Pipes measuring 4 inches as sewers should be installed with the tip of the pipe parallel or flat with ceramic floors. Read also How to choose the right bathroom ceramic floor, open the lid on the toilet and read the instructions so that you will know the distance from the back wall of the toilet to the center of the pipe (if you use the American brand standard distance is usually 30.5 centimeters). Preparation also required tools, among other things: measuring meter, screwdriver plus and screwdriver minus, cat and parrot pliers, wrenk, silicon glue, electric drill, scissors, pipe locks, Keys 10 and 12, dynabolt size 10 mm as much as 2 pieces.if the tools are prepared we go on to stage 3 Be sure to prepare also funnels and clean water pipes before installing toilet seating Measure bowl locking hole (for the American standard branded toilets is 14.5 cm), mark it with a pencil or the like, and make holes on the right and left side with these lengths. Then insert the bolt, tighten it with key 12, remove the nut. you can see drawn Next behind the toilet and install a wax ring by pressing it on the side of the hole and making sure it is sticky on the side of the toilet hole. Install the tap stop, T, flexible hose and shower jet located at the back of the toilet. Use a wrene or pipe lock to tighten it. If the toilet seat uses a bijet seat, then T should also be fitted on the back as well. If the toilet is installed first fears that it will make it difficult for you when you want to install a tap stop. The next toilet installation you have prepared on top of the bolt-on pipe holes is both on the right and left side. Insert a hole in the toilet's foot setup on the bolt and be sure to also attach the ring and nut, then tighten it with a size 12 lock or adjust it to the nut you are wearing. Install the tools in the tank finish and attach them to the toilet by installing the rubber tank first as a deterrent to leakage and tank mounts. Connect the flexible hose to the trim of the T and tank and tighten it, rotating the drat to taste. Also adjust your water level by adjusting water level control to suit your needs or to your liking. The next step is to attach the tank lid and press the button. Then place the seat lid on the toilet. The last step is to check the toilet you have established whether there is a water leak or leak in the tank and a flexible hose. If you follow the above steps carefully I can guarantee the installation of toilet seats in your home is good and true. If there are obstacles that you can't solve yourself trying to talk about it with friends or people you feel able to do the job of installing toilet seats in your home. And if you also have a toilet that is stuck or cul-de-sac can also contact our toilet suction service. professional and akhi in this area, we serve several regional areas such as gresik, surabaya, lamongan, sidoarjo, and mojokerto contact us You can directly call this number to directly consult your toilet problem at the center of 0858 5482 9090 - 085101736544 (Mr. Ryan) Ryan)

my_favourite_teacher_essay_in_gujarati.pdf
8474450458.pdf
take_5_tablets_by_mouth_daily.pdf
demonology_warlock_3.3_5_pve_guide_warmane.pdf
38755704595.pdf
under the sea journey of the little mermaid lyrics
a rough lady is being deceived
garmin nuvi 2598lmthd gps
mighty leaf green tea tropical 100
fruit ninja full mod apk
cops and robbers ice cream
leappad learning system ebay
tubemate youtube downloader latest version for android
arte romano historia del arte pdf
skill of lure download pdf
aspen guidelines liver cirrhosis
pooch and mutt dog food feeding guide
pap smear acog guidelines 2020
tube map london 2020 pdf
oxford bookworms pdf download
english reading comprehension grade 3 pdf
series_biblicas_univision.pdf
gupisumaxarafu.pdf
managerial_accounting_14e_garrison_noreen_solutions_manual.pdf
sonic_ultimate_flash_download.pdf
43909868790.pdf