
Panasonic ncr18650ga datasheet pdf

I'm not robot	reCAPTCHA

Continue



Datasheet Note this battery has two different models coating depending on the manufacturing facility, so it may not look like the image, but you can always be sure that we will sell the authentic NCR18650GA. Please note that these batteries are not suitable for most e-cigarette applications due to output 10A. Quick NCR18650GA Specifications: Max Continuous Current Download: 10A Typical Capacity: 3450 mAh (minimum 3350mAh) Style: FLAT Top Maximum Dimensions: 65.30mm x 18.50 diameter Mm Recommended interruption voltage: 2.5V Weight: 48g Voltage: 3.6V Full charge Voltage: 4.2V Charging current: 1.675A Standard Unprotected Origin: China or Japan Batteries are sold individually. If the battery is damaged or defective on arrival (it will not take the first charge or has problems with the first cycle), please let us know within 14 days of receiving the order and we will straighten this charge. Please read our full store policy on defective products here for more information and to see if you are eligible. Manufacturer ratings here. Warning: Lithium-ion batteries may explode or burn due to improper use. The use of these batteries for purposes not intended for the manufacturer, including outside a battery and/or without a BMS, may cause serious injury and damage. We are not responsible for the injuries caused by lithium-ion batteries - used at your own risk. All rechargeable batteries pose inherent risks in any circumstance. Be careful when working with li-ion li-ion batteries LiPo (lithium-ion polymer) and any rechargeable batteries should be able to educate themselves on rechargeable batteries, in particular with regard to charging, unloading, assembly and storage and care of rechargeable batteries here. We are not responsible for damage caused by improper use or mismanagement of rechargeable batteries. Here are some tips: Never discharge batteries completely (below 2.5 V under charge or 3V discharged) Charge batteries at 4.3V or above Do not charge fully charged li-ion batteries for a long period of time (weeks or more) If you need to store the battery, stored only in a box or in an individual box in a cool, dry place at approximately 3,6-3,7 V Use only high-quality battery charges Do not connect positive contact to negative contact without an adequate charge Never exceed specifications Never attempt to charge or discharge li-ion batteries with battery chargers that are not made for li-ion batteries Always charge these batteries on and inside fire retardant Never leave rechargeable batteries in an unattended charging station Do not use any rechargeable battery or charger if there is visible damage, or if wrong handling is known, accidentally or otherwise, it has always occurred store and transport rechargeable cells in a secure, non-conductive container (never keep a spare battery free in a pocket, bag, etc. and always use protective casings) Properly remove all battery cells and chargers in accordance with local laws and mandates (if you are not sure, contact your local municipality) If a rechargeable battery overheats, stops or swells, immediately quarantinethe battery from any combustible materials - ideally, take the battery from outside If a rechargeable battery catches fire, the FAA recommends pouring water or soda into the battery and in surrounding areas - ideally, use a foam fire extinguisher to quench the fire By purchasing this product, you agree that the seller does not offer any guarantees in respect of the goods sold on this site, including any (a) warranty of merchantability or (b) warranty of suitability for a particular purpose, express or implied by law, course of trading, course performance, use of trade or otherwise. Buyer acknolwledges that was not based on any representation or warranty made by the seller, or any other person on behalf of the seller. If the buyer purchases for resale, it assumes full responsibility and agrees to send all notices and warnings to the buyer. Sanyo/Panasonic NCR18650GA 3500mAh (Red) Official Specifications: Nominal Capacity: 3350mAh Typical Typical 3450mAh Nominal voltage: 3.6V Download termination voltage: 2.5V Charging current (Std.): 1.675A Load voltage: 4.20 +/-0.03V Charging time (Std): 4.0 hours Continuous download current (Max.): 4.0 hours Continuous download cur download current (Max.): 4.0 hours Continuous download current (Max.): 4.0 hours Continuous download current (Max.): 4.0 hours Continuous discharge current (Max.): 4.0 hours Continuous download current (Max (AC 1kHz): Cycle life: 300 cycles up to 70% Weight: Operating temperature: Load: +10 ~ +45°C, Download: -20 ~ +50°C, less than 1 months: -20 ~ +40°C, less than 1 year: -20 ~ +20°C (80% capacity left) A high capacity cell from one of the largest Lilon manufacturer. As expected, this discharge curve is almost perfect tracking. Cells are high-capacity cells, but they can deliver some current. Because I cut the discharge to 2.8 volts, I don't get the maximum capacity from the cell. The cells are evaluated for 10A and at 15A discharge the batteries become very hot, on the first cell we finished the discharge at 75°C and the second cell we finished at 85°C (the maximum allowed temperature of the cell is 70°C). Conclusion These cells has a very good capacity and can also handle the current, this makes it one of the current top cells for that. Being from Panasonic there is no doubt that it is good cells. Notes and links are done test and read charts is a protected battery Lilon built More about the top button and top flat batteries Compare with 18650 and other batteries

normal_5f8edde6ea5e5.pdf normal_5f951e64ea681.pdf hyper heroes codes 2020 <u>definicion del manual de organizacion y funciones</u> apps to speed up internet on android 200m to nautical miles savage worlds spells ecuaciones lineales en dos variables funny animal gifs with sound find inverse of matrix pdf subtitle youtube di android servidores kad emule sheet metal design process pdf envasado en atmosfera controlada pdf who is the killer riddle restaurant answer twas the nizzle before christmizzle sweater shopping cart hero addicting games structuring your novel km weiland pdf facebook lite apk mirror android 2.3 termoquimica exercícios resolvidos pdf ejercicios operaciones con numeros racionales pdf psychology test questions pdf normal 5f8c8c6ed9b24.pdf <u>normal_5f86f90e7b908.pdf</u> normal 5f911b8c07131.pdf

normal_5f8742786242e.pdf normal_5f89358286a18.pdf