


I'm not robot  reCAPTCHA

Continue

Ti 30xa calculator manual

Einige Word-Function können in Google Docs nicht angezeigt werden und werden bei Änderungen entferntDetails anzeigenLetzte Änderungen anzeigen Overview tab Specifications Main features Single line, 10-digit screen Fractional functions Monovarial statistics Conversions, e.g. between fractions and decimal numbers Basic scientific functions, including trigonometry Addition, subtraction, multiplication and division of fractions entered in the traditional form with numerator and denominator. Degrees/rays/gon Polar/rectangular form DMS/degrees Fraction/decimal hard plastic, keys with color encoding Monomer, 10-digit display Battery-powered Vibration-resistant housing Conversions of fractions/decimal numbers Changes irregular fractions to mixed numbers Automatic flattening of Negationstangent fractions A constant combinations and variations Trigonometry Hyperbometry functions Logarimer and antilogarites Converting salts from degrees to radians into gon %, x2, x3, 1/x p, x Fixed decimal capacity Single variable statistics AOS. (Algebraic operating system) Three memory variables Basic format and technical notation T exas Instruments Netherlands B.V.Rutherfordweg 1023542 CG Utrecht-The NetherlandsT exas Instruments U.S.A.7800 Banner Dr. Dallas, TX 75251Dw w. t i . c o m / c a l c u l a t o r s @ t i . c o m © 1998 BC Instruments Gedruckt auf Recycling-Papier30XA/OM/1L5TI-3 0Xa/30Xa Solar, English 2.875.38 The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 2The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 3The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 4The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 5The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 6The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 7The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 8The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 9The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 10The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 11 WHAT30XA. DOC MURFE pruning Pat Hatcher Revised:06/17/99 4:31 pm Printed: 06/17/99 4:32 pm Page 13 of the value 21Clears (before the operating key) Clears the screen, errors, all outstanding appearance, errors, all outstanding appearance, errors, errors, all pending corner units, pending floating-decimal right-most character nClears all statistical data. Fixed (Repeated Operations)A constant contains an operation and a value. To obtain a constant, press page 12The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 13The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 14The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 15The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 16The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 17The product safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 18The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 19The product can be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 20The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 21The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. Page 22The product can still be used safely after proper cleaning. Remove the battery with gloves and clean the battery compartment with an old toothbrush and vinegar. After drying, new batteries can be inserted into the unit. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 This third-party website or tools use cookies, which are necessary for its operation and necessary to achieve the purposes set out in the cookie policy. If you want to know more or withdraw your consent to all or some of the cookies, please refer to the cookie policy. By closing this banner, scrolling through this page, clicking a link, or continuing to browse differently, you agree to the use of cookies. Cookies.

